

KUNUMA ANGUS STUD

SNOWY MOUNTAINS



BRED TOUGH - EST 1983

TUESDAY 2ND SEPTEMBER 2025 - 12PM

2833 Snowy Mountains Highway, Cooma, NSW, 2630

www.kunuma.com



AuctionsPlus

How to Register as an AuctionsPlus user

1. To sign up to AuctionsPlus, fill in your details and create a password.
2. Verify your email.
3. Follow the steps to verify your ID.
4. Enter your PIC number, ABN and business details if relevant.
5. Carefully read and accept our user rules and responsibilities.
6. Complete the user quiz.
7. Submit your request to our team.



Scan to sign up now



Scan to see detailed
step by step instructions

www.auctionsplus.com.au



(02) 9262 4222



KUNUMA ANGUS SPRING BULL SALE

Tuesday 2nd September 2025 at 12pm
2833 Snowy Mountains Highway, Cooma, NSW, 2630

Interfaced with AuctionsPlus

Pre sale inspections via appointment

Open Day: 29th August 2025 10am to 2pm

45 Bulls on Offer

Mitch Lynch: 0487 648 227

Dean Lynch: 0419 295 954



Matt Campion - Nutrien Stud Stock.....0437 290 435

Damien Roach - Nutrien Cooma.....0427 253 250

Gary Evans - Nutrien Cooma.....0400 356 484

"BRED TOUGH!"

Welcome to Kunuma Angus

Kunuma Angus Stud was established in 1983 with the purchase of five cows and calves from the Williams family at Victoree Angus Stud in Benalla. On their journey to the Snowy Mountains, those foundation animals were caught in a snowstorm at Kiandra—a near-death experience that inspired the name Kunuma, meaning “snow” in the local Indigenous language. Not long after, we added a line of cows from Landfall Angus in Tasmania. These two bloodlines have become the backbone of the Kunuma herd.

Today, we run both stud and commercial Angus cattle across three properties, covering approximately 2,000 hectares. One of the most rewarding milestones for our family has been welcoming the seventh generation to the farm with the arrival of our grandchildren. Agriculture is full of challenges, but reaching this generational continuity is something we're deeply proud of.

As the highest Angus stud by elevation in Australia, we experience regular snowfalls—especially through our long, harsh winters. Our cattle are truly bred tough, having been selected over generations to thrive in these demanding conditions. While our summers are often green and productive, our bulls are typically still carrying their thick winter coats come September sale time. Many clients tell us that Kunuma-bred cattle adapt quickly and thrive in milder climates, a testament to their strong constitution, feed efficiency, and all-round do-ability.

This year's draft of bulls features sons of two elite Te Mania sires—R1095 (\$120,000) and Q1149 (\$65,000)—purchased in partnership with two other studs. The balanced data and performance of these sires are clearly reflected in this year's offering. Also included are progeny of standout sires Milwillah Napa 405 and Texas Nasa N121, both of which have produced sons with exceptional length, depth, and commercial appeal.

All bulls have been structurally assessed by Liam Cardile and thoroughly vet-checked by Snowy Vet Clinic, ensuring you can buy with complete confidence.

Thank you for your ongoing support and interest in Kunuma Angus. We look forward to welcoming you on sale day.

Warm regards,

Dean, Louise, Mitch, Sam, Hughie and Nate Lynch



Sale Information

OPEN DAY

Kunuma Angus Open Day will be held on Friday 29th August 2025 10am to 2pm

INSPECTION

Via appointment prior to sale, contact Mitch to arrange

DELIVERY

Free delivery available within NSW & VIC

HEALTH

All animals are fully vaccinated for pestivirus, vibrio and 7 in 1, and vet checked prior to sale.

SEMEN RIGHTS

Kunuma Angus have 50% semen rights retained on all sale bulls

REBATE

3% agent rebate will be given to outside agents introduced in writing 24 hours prior to sale. Letters to be sent to jorgia.scott3@nutrien.com.au

PUBLIC LIABILITY

Any person attending the sale does so at their own risk. All persons attending the sale release the vendor from all actions or demands due to any loss or damage to any person attending the sale, their property or otherwise. No children are permitted in the pens at anytime.

DISCLAIMER

Every care has been taken during the compilation of the catalogue to ensure the accuracy of information supplied. However, no responsibility will be accepted for any errors that may have occurred.

ANGUS AUSTRALIA DISCLAIMER

Animal details included in this catalogue, including but not limited to pedigree, DNA information, Estimated Breeding Values (EBVs) and Index values, are based on information provided by the breeder or owner of the animal. Whilst all reasonable care has been taken to ensure that the information provided in this catalogue was correct at the time of publication, Angus Australia will assume no responsibility for the accuracy or completeness of the information, nor for the outcome (including consequential loss) of any action taken based on this information.

PARENT VERIFICATION SUFFIXES

The animals listed within this catalogue including its pedigree, are displaying a Parent Verification Suffix which indicates the DNA parent verification status that has been conducted on the animal. The Parent Verification Suffixes that will appear at the end of each animal's name.

PV: both parents have been verified by DNA.

SV: the sire has been verified by DNA.

DV: the dam has been verified by DNA.

#: DNA verification has not been conducted.

E: DNA verification has identified that the sire and/or dam may possibly be incorrect, but this cannot be confirmed conclusively.



Like and follow us on
Facebook and Instagram!



<https://www.facebook.com/Kunuma-Angus>

<https://www.instagram.com/kunumaangus>

Recessive Genetic Conditions



This is information for bull buyers about the recessive genetic conditions, Arthrogryposis Multiplex (AM), Hydrocephalus (NH), Contractural Arachnodactyly (CA) and Developmental Duplications (DD).

Putting undesirable Genetic Recessive Conditions in perspective

All animals, including humans, carry single copies (alleles) of undesirable or "broken" genes. In single copy form, these undesirable alleles usually cause no harm to the individual.

But when animals carry 2 copies of certain undesirable or "broken" alleles it often results in bad consequences. Advances in genomics have facilitated the development of accurate diagnostic tests to enable the identification and management of numerous undesirable or "broken" genes.

Angus Australia is proactive in providing its members and their clients with relevant tools and information to assist them in the management of known undesirable genes and our members are leading the industry in their use of this technology.

What are AM, NH, CA and DD?

AM, NH, CA and DD are all recessive conditions caused by "broken" alleles within the DNA of individual animals. When a calf inherits 2 copies of the AM or NH alleles their development is so adversely affected that they will be still-born.

In other cases, such as CA and DD, calves carrying 2 copies of the broken allele may reach full-term. In such cases the animal may either appear relatively normal, or show physical symptoms that affect their health and/or performance.

What happens when carriers are mated to other animals?

Carriers, will on average, pass the undesirable allele to a random half (50 %) of their progeny.

When a carrier bull and carrier cow is mated, there is a 25% chance that the resultant calf will inherit two normal alleles, a 50% chance that the mating will result in a carrier (i.e. with just 1 copy of the undesirable allele, and a 25% chance that the calf will inherit two copies of the undesirable gene.

If animals tested free of the undesirable gene are mated to carrier animals the condition will not be expressed at all. All calves will appear normal, but approximately half (50%) could be expected to be carriers.

How is the genetic status of animals reported?

DNA-based diagnostic tests have been developed which

can be used to determine whether an individual animal is either a carrier or free of the alleles resulting in AM, NH, CA or DD.

Angus Australia uses advanced software to calculate the probability of (untested) animals to being carriers of AM, NH, CA or DD. The software uses the test results of any relatives in the calculations and the probabilities may change as new results for additional animals become available.

The genetic status of animals is being reported using five categories:

AMF	Tested AM free
AMFU	Based on Pedigree AM free - Animal has not been tested
AM_%	_% probability the animal is an AM carrier
AMC	Tested AM-Carrier
AMA	AM-Affected

For NH, CA and DD, simply replace AM in the above table with NH, CA or DD.

Registration certificates and the Angus Australia web-database display these codes. This information is displayed on the animal details page and can be accessed by conducting an "Database Search" from the Angus Australia website or looking up individual animals listed in a sale catalogue.

Implications for Commercial Producers

Your decision on the importance of the genetic condition status of replacement bulls should depend on the genetics of your cow herd (which bulls you previously used) and whether some female progeny will be retained or sold as breeders.

Most Angus breeders are proactive and transparent in managing known genetic conditions, endeavouring to provide the best information available. The greatest risk to the commercial sector from undesirable genetic recessive conditions comes from unregistered bulls with unknown genetic background. The genetic condition testing that Angus Australia seedstock producers are investing in provides buyers of registered Angus bulls with unmatched quality assurance.

For further information contact Angus Australia (02) 6773 4600.



Beefclass Structural Assessment



How to use:


The Beef Class Structural Assessment System uses a 1-9 scoring system for feet and leg structure:

- A score of 5 is ideal.
- 4 and 6 show slight variation from ideal, but this includes most animals. Any animal scoring 4 and 6 would be acceptable in any breeding program.
- 3 and 7 show greater variation, but would be acceptable in most commercial breeding programs, however seedstock producers should be wary.
- 2 and 8 are low scoring animals and should be looked at carefully before purchasing.

A 1-5 scoring system is used for sheath attachment. For feet and leg assessment, animals need to be on a hard, flat and even surface where the animal can move/ stand naturally.

Traits:

	Scoring Range	Description
Front Feet Claw Set	1-9	1 - Open Divergent; 5- Good; 9- Extreme Scissor Claw
Rear Feet Claw Set	1-9	1 - Open Divergent; 5- Good; 9- Extreme Scissor Claw




Reference: Shape (primarily curl) and evenness of the claw set.

	Scoring Range	Description
Front Feet Angle	1-9	1 - Steep (Stubbed Toe); 5: Good; 9-Shallow Heel
Rear Feet Angle	1-9	1 - Steep (Stubbed Toe); 5: Good; 9-Shallow Heel



Reference: Strength of pastern, depth of heel and length of foot.

Rear Legs Side View	1-9	1 - Straight (Post Legged); 5 - Good; 9 - Sickie Hocked
----------------------------	-----	---




Reference: Angle measured at the front of the hock.



Rear Leg Hind View

1-9

1 - Bow Legged; 5 - Good (Parallel); 9 - Cow Hocked



Reference: Direction of the feet when viewed from the rear.

Muscle Score:

A-E (Includes + and -)


- A+ = Double - muscled
- A = Extremely heavy muscle
 - pronounced creasing between muscles
- B = Heavily muscled
 - well rounded hindquarter
- C = Average muscle
 - hindquarter slightly rounded
- D = Poor muscle
 - narrow concave hindquarter
- E = Extremely poor muscle
 - angular

Reference: Primarily hindquarter roundness or convexity, width across the stifle and width of stance. Also width and muscle expression across the back, particularly behind the shoulder and in the loin. Jump muscle (about the P8 site) and forearm bulge may be taken into consideration.

Sheath and Navel Scores

5-1

5 - Extremely Clean/ Tight to Body; 1 - Extremely Pendulous



Reference: Sheath attachment

Temperament:

Reference: 1-5 (half scores permitted) using yard test scale below:

- 1. Docile:** The animal is easily held in the corner and the handler can get close enough to put their stick on the animal.
- 2. Restless:** The animal can be held in the corner but exhibits some restlessness and flicking of the tail. The handler cannot get close enough to put their stick on the animal before it moves away.
- 3. Nervous:** The animal is not easily held in the corner even when the handler is some distance back from the animal., continual movement and tail flicking. .
- 4. Flighty (wild):** The animal cannot be held in the corner, frantically runs the fence line and may jump when penned individually, exhibits long flight distance.
- 5. Aggressive:** Similar behaviour to score 4 but is also aggressive towards the handler, stares at the handler and threatens to charge or charges (handler us advised to exit the yard before the animal actually charges).



TransTasman Angus Cattle Evaluation - Mid July 2025 Reference Tables

BREED AVERAGE EBVs																											
Calving Ease			Birth		Growth			Maternal			Fertility			Carcase				Other			Structure			Selection Indexes			
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	MBC	MCH	Milk	SS	DTC	CWT	EMA	RIB	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg	\$A	\$A-L	
Brd Avg	+2.2	+3.0	-4.5	+3.9	+52	+93	+120	+102	+0.28	+8.2	+17	+2.2	-4.8	+69	+6.5	+0.0	-0.2	+0.4	+2.5	+0.23	+21	+0.83	+0.96	+1.02	+205	+351	

* Breed average represents the average EBV of all 2023 drop Australian Angus and Angus-influenced seedstock animals analysed in the Mid July 2025 TransTasman Angus Cattle Evaluation

PERCENTILE BANDS TABLE																										
% Band	Calving Ease			Birth		Growth			Maternal			Fertility			Carcase				Other			Structure			Selection Indexes	
	CEDir	CEDtrs	GL	BW	200	400	600	MCW	MBC	MCH	Milk	SS	DTC	CWT	EMA	RIB	P8	RBY	IMF	NFI-F	DOC	Claw	Angle	Leg	\$A	\$A-L
	Less Calving Difficulty	Less Calving Difficulty	Shorter Gestation Length	Lighter Birth Weight	Heavier Live Weight	Heavier Live Weight	Heavier Live Weight	Heavier Mature Weight	More Body Condition	Taller Mature Height	Heavier Live Weight	Larger Scrotal Size	Shorter Time to Calving	Heavier Carcase Weight	Larger EMA	More Fat	More Fat	Higher Yield	More IMF	Greater Feed Efficiency	More Docile	Less Curl	More Heel Depth	Less Angular	Greater Profitability	Greater Profitability
1%	+10.5	+10.2	-10.4	-0.5	+72	+126	+165	+167	+0.64	+13.3	+30	+5.1	-9.0	+102	+14.9	+4.5	+5.4	+2.0	+6.2	-0.66	+46	+0.40	+0.60	+0.70	+282	+459
5%	+8.8	+8.6	-8.7	+0.9	+66	+116	+151	+146	+0.53	+11.7	+26	+4.1	-7.7	+92	+12.3	+3.1	+3.7	+1.5	+5.1	-0.38	+38	+0.54	+0.70	+0.80	+260	+429
10%	+7.7	+7.6	-7.7	+1.6	+63	+111	+144	+135	+0.47	+10.9	+24	+3.6	-7.0	+86	+10.9	+2.3	+2.8	+1.2	+4.5	-0.24	+34	+0.60	+0.76	+0.86	+249	+412
15%	+6.8	+6.9	-7.1	+2.1	+60	+107	+139	+128	+0.43	+10.3	+22	+3.3	-6.6	+83	+10.0	+1.9	+2.1	+1.1	+4.1	-0.15	+31	+0.64	+0.80	+0.88	+241	+401
20%	+6.2	+6.3	-6.6	+2.4	+59	+104	+136	+123	+0.40	+9.9	+21	+3.1	-6.2	+80	+9.3	+1.5	+1.7	+0.9	+3.8	-0.07	+29	+0.68	+0.82	+0.90	+235	+393
25%	+5.6	+5.8	-6.2	+2.7	+57	+102	+132	+119	+0.38	+9.6	+21	+2.9	-5.9	+78	+8.7	+1.2	+1.3	+0.8	+3.5	-0.01	+27	+0.70	+0.86	+0.94	+229	+385
30%	+5.0	+5.3	-5.8	+3.0	+56	+100	+130	+115	+0.36	+9.3	+20	+2.7	-5.7	+76	+8.1	+0.9	+0.9	+0.7	+3.2	+0.04	+26	+0.74	+0.88	+0.94	+225	+379
35%	+4.5	+4.8	-5.5	+3.2	+55	+98	+127	+111	+0.34	+9.0	+19	+2.6	-5.4	+74	+7.7	+0.7	+0.6	+0.6	+3.0	+0.09	+24	+0.76	+0.90	+0.96	+220	+373
40%	+3.9	+4.4	-5.1	+3.5	+54	+97	+125	+108	+0.32	+8.7	+18	+2.4	-5.2	+72	+7.2	+0.4	+0.3	+0.6	+2.8	+0.14	+23	+0.78	+0.92	+0.98	+216	+367
45%	+3.4	+3.9	-4.8	+3.7	+53	+95	+123	+105	+0.30	+8.4	+18	+2.3	-5.0	+70	+6.8	+0.2	+0.0	+0.5	+2.6	+0.18	+22	+0.80	+0.94	+1.00	+211	+361
50%	+2.9	+3.5	-4.5	+3.9	+52	+93	+120	+102	+0.28	+8.2	+17	+2.2	-4.8	+69	+6.4	+0.0	-0.2	+0.4	+2.4	+0.23	+21	+0.82	+0.96	+1.02	+207	+355
55%	+2.3	+3.0	-4.2	+4.1	+51	+92	+118	+99	+0.26	+7.9	+17	+2.0	-4.6	+67	+6.0	-0.2	-0.5	+0.3	+2.2	+0.27	+19	+0.86	+0.98	+1.04	+203	+349
60%	+1.7	+2.5	-3.9	+4.3	+50	+90	+116	+96	+0.24	+7.7	+16	+1.9	-4.4	+65	+5.6	-0.4	-0.8	+0.2	+2.0	+0.32	+18	+0.88	+1.00	+1.04	+199	+343
65%	+1.1	+2.0	-3.6	+4.6	+49	+88	+114	+93	+0.23	+7.4	+15	+1.8	-4.1	+63	+5.2	-0.6	-1.1	+0.1	+1.8	+0.37	+17	+0.90	+1.02	+1.06	+194	+336
70%	+0.4	+1.4	-3.3	+4.8	+47	+87	+111	+89	+0.21	+7.1	+15	+1.6	-3.9	+62	+4.8	-0.9	-1.4	+0.0	+1.6	+0.42	+16	+0.92	+1.04	+1.08	+189	+329
75%	-0.4	+0.7	-2.9	+5.1	+46	+85	+108	+86	+0.18	+6.8	+14	+1.5	-3.7	+60	+4.3	-1.1	-1.8	-0.1	+1.4	+0.47	+14	+0.96	+1.06	+1.10	+183	+321
80%	-1.3	+0.0	-2.5	+5.4	+45	+82	+105	+81	+0.16	+6.4	+13	+1.3	-3.4	+57	+3.8	-1.4	-2.1	-0.2	+1.1	+0.54	+13	+1.00	+1.10	+1.12	+176	+311
85%	-2.4	-1.0	-2.0	+5.7	+43	+80	+102	+77	+0.13	+6.0	+12	+1.1	-3.1	+54	+3.1	-1.7	-2.6	-0.3	+0.9	+0.61	+11	+1.02	+1.12	+1.14	+168	+300
90%	-4.0	-2.3	-1.4	+6.2	+41	+76	+97	+70	+0.09	+5.5	+11	+0.8	-2.6	+51	+2.3	-2.2	-3.2	-0.5	+0.5	+0.71	+9	+1.08	+1.18	+1.18	+158	+284
95%	-6.5	-4.2	-0.4	+6.9	+38	+71	+90	+60	+0.03	+4.6	+9	+0.4	-2.0	+46	+1.1	-2.9	-4.1	-0.8	+0.0	+0.87	+5	+1.16	+1.24	+1.22	+141	+259
99%	-11.9	-8.7	+1.6	+8.3	+30	+60	+75	+41	-0.07	+2.7	+5	-0.4	-0.6	+35	-1.4	-4.3	-5.9	-1.3	-0.8	+1.16	-1	+1.30	+1.38	+1.32	+108	+204
	More Calving Difficulty	More Calving Difficulty	Longer Gestation Length	Heavier Birth Weight	Lighter Live Weight	Lighter Live Weight	Lighter Live Weight	Lighter Mature Weight	Lower Body Condition	Shorter Mature Height	Lighter Live Weight	Smaller Scrotal Size	Longer Time to Calving	Lighter Carcase Weight	Smaller EMA	Less Fat	Less Fat	Lower Yield	Less IMF	Lower Feed Efficiency	Less Docile	More Curl	Less Heel Depth	More Angular	Lower Profitability	Lower Profitability

* The percentile band represents the distribution of EBVs across the 2023 drop Australian Angus and Angus-influenced seedstock animals analysed in the Mid July 2025 TransTasman Angus Cattle Evaluation


TransTasman Angus Cattle Evaluation - Mid July 2025 Reference Tables

BREED AVERAGE SELECTION INDEXES										
	\$A	\$D	\$GN	\$GS	\$A-L	\$D-L	\$GN-L	\$GS-L	\$PRO	\$T
Breed Avg	+205	+169	+271	+189	+351	+303	+421	+393	+153	+188

* Breed average represents the average EBV of all 2023 drop Australian Angus and Angus-influenced seedstock animals analysed in the Mid July 2025 TransTasman Angus Cattle Evaluation

PERCENTILE BANDS TABLE - SELECTION INDEXES										
% Band	\$A	\$D	\$GN	\$GS	\$A-L	\$D-L	\$GN-L	\$GS-L	\$PRO	\$T
	Greater Profitability	Greater Profitability	Greater Profitability	Greater Profitability	Greater Profitability	Greater Profitability	Greater Profitability	Greater Profitability	Greater Profitability	Greater Profitability
1%	+282	+238	+375	+271	+459	+401	+552	+525	+238	+238
5%	+260	+218	+347	+247	+429	+373	+516	+488	+214	+214
10%	+249	+207	+330	+235	+412	+358	+496	+467	+201	+201
15%	+241	+200	+320	+226	+401	+348	+483	+454	+192	+192
20%	+235	+195	+311	+220	+393	+340	+472	+444	+185	+185
25%	+229	+190	+304	+214	+385	+334	+463	+435	+180	+180
30%	+225	+186	+297	+209	+379	+328	+455	+426	+174	+174
35%	+220	+182	+291	+204	+373	+322	+447	+419	+169	+169
40%	+216	+178	+285	+200	+367	+316	+440	+411	+164	+164
45%	+211	+174	+279	+195	+361	+311	+433	+404	+160	+160
50%	+207	+171	+273	+191	+355	+306	+426	+397	+155	+155
55%	+203	+167	+268	+186	+349	+301	+418	+390	+151	+151
60%	+199	+163	+262	+182	+343	+295	+411	+383	+146	+146
65%	+194	+159	+255	+177	+336	+289	+402	+375	+141	+141
70%	+189	+155	+248	+171	+329	+283	+393	+366	+135	+135
75%	+183	+150	+241	+166	+321	+276	+383	+357	+129	+129
80%	+176	+145	+232	+159	+311	+268	+372	+346	+122	+122
85%	+168	+138	+222	+151	+300	+258	+358	+332	+114	+114
90%	+158	+129	+208	+140	+284	+245	+338	+314	+102	+102
95%	+141	+116	+187	+124	+259	+223	+307	+285	+85	+85
99%	+108	+88	+144	+93	+204	+177	+243	+222	+50	+50
	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability	Lower Profitability

* The percentile band represents the distribution of EBVs across the 2023 drop Australian Angus and Angus-influenced seedstock animals analysed in the Mid July 2025 TransTasman Angus Cattle Evaluation

Kunuma Angus Victoria Autumn Bull Sale 2025																											
Animal Ident		Calving Ease				Growth				Fertility				Carcase				Feed	Temp.	Structural			Selection Indexes				
		CEDir	CEDtrs	GL	BWT	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	\$A	\$D	\$GN	\$GS
1	NOL23U27	+4.5	+4.1	-0.7	+2.4	+46	+90	+122	+82	+27	+0.6	-1.8	+74	+10.5	-0.1	+0.9	+0.6	+2.9	-0.06	+20	+0.84	+0.94	+1.10	\$209	\$157	\$289	\$192
2	NOL23U155	+8.2	+5.0	-7.7	-0.1	+47	+92	+122	+84	+21	+2.3	-5.1	+66	+7.3	+2.5	+2.3	-0.7	+4.4	+0.43	+30	+0.94	+1.16	+1.08	\$227	\$175	\$311	\$215
3	NOL23U18	+0.4	+2.6	-2.2	+4.5	+53	+96	+122	+104	+15	+1.8	-6.8	+60	-0.6	+0.9	+0.0	-0.5	+2.5	+0.47	+24	+1.02	+0.98	+0.98	\$201	\$173	\$258	\$184
4	NOL23U101	+4.4	-1.3	-5.3	+5.5	+53	+95	+134	+138	+16	+4.2	-2.4	+74	+4.0	-1.1	-1.2	+1.1	+0.0	+0.41	+17	+0.56	+0.84	+1.22	\$146	\$119	\$186	\$136
5	NOL23U72	+6.2	+1.6	-6.8	+3.5	+51	+88	+115	+111	+11	+1.2	-4.2	+86	+10.8	+0.8	+1.1	+0.8	+1.8	+0.57	+14	+1.04	+0.94	+1.00	\$206	\$167	\$272	\$187
6	NOL23U149	-2.1	-0.7	-6.0	+4.8	+47	+89	+111	+113	+13	+2.7	-2.9	+52	+1.7	-0.4	-2.3	+0.2	+1.6	-0.20	+15	+0.44	+0.78	+1.14	\$128	\$112	\$171	\$110
7	NOL23U139	+10.4	+9.5	-5.4	+1.3	+38	+75	+104	+74	+25	+2.5	-3.5	+64	+9.5	+2.9	+3.2	+0.8	+2.8	+0.26	+17	+0.42	+0.80	+0.98	\$205	\$156	\$272	\$191
8	NOL23U189	+9.8	+5.1	-4.8	+1.0	+49	+83	+105	+70	+23	+1.6	-7.2	+48	+9.1	+1.4	+1.6	-0.4	+4.5	+0.42	+11	+0.46	+0.74	+0.66	\$249	\$198	\$342	\$235
9	NOL23U16	+4.4	+5.5	-11.4	+3.7	+56	+100	+138	+129	+14	+3.6	-4.6	+79	+8.4	-0.5	-1.9	+1.5	+0.4	+0.14	+31	+1.10	+1.20	+1.16	\$206	\$174	\$255	\$196
10	NOL23U50	+3.6	+5.0	-4.6	+3.6	+51	+95	+127	+115	+22	+1.5	-7.7	+75	-0.1	-2.9	-5.0	+0.3	+3.2	+0.32	+32	+0.64	+0.88	+1.06	\$207	\$176	\$258	\$193
11	NOL23U38	-3.2	+5.7	-0.5	+3.3	+48	+84	+104	+80	+12	+2.2	-6.5	+56	+8.1	+4.0	+2.0	+0.1	+3.3	+0.47	+22	+0.52	+0.84	+1.04	\$222	\$184	\$294	\$206
12	NOL23U9	+9.7	+7.3	-4.4	+1.6	+51	+99	+135	+119	+18	+0.9	-6.4	+89	+7.3	+2.1	+1.9	-0.9	+6.4	+0.54	+23	+0.86	+0.90	+0.94	\$250	\$190	\$346	\$242
13	NOL24V40	+9.4	+5.5	-5.8	+2.9	+36	+76	+91	+72	+17	+0.8	-5.4	+54	+7.3	+2.8	+3.1	+0.7	+1.8	+0.15	+13	+0.52	+0.70	+1.06	\$197	\$171	\$252	\$179
14	NOL24V28	-0.9	+2.3	+0.7	+6.2	+49	+90	+120	+146	+11	+1.8	-3.5	+70	+0.0	-1.7	-2.9	+0.5	+1.2	+0.01	+14	+0.68	+0.98	+1.26	\$119	\$104	\$155	\$106
15	NOL24V31	+3.3	-0.3	-3.2	+4.5	+57	+94	+135	+129	+10	+1.9	-4.0	+68	+0.9	+0.7	-0.7	-1.3	+4.4	+0.38	+23	+0.46	+0.84	+1.08	\$178	\$126	\$247	\$163
16	NOL24V12	+4.9	+2.6	-2.1	+5.4	+57	+95	+115	+121	+16	+1.8	-5.2	+48	+9.7	-0.2	-0.1	+0.3	+5.0	+0.37	+18	+0.50	+0.82	+1.00	\$239	\$195	\$334	\$221
17	NOL24V9	+5.7	+6.7	-2.8	+3.3	+43	+83	+112	+106	+14	+1.8	-1.7	+61	+4.4	+0.5	-1.3	+0.3	+2.9	+0.34	+29	+0.76	+0.96	+1.08	\$152	\$117	\$206	\$135
18	NOL24V21	+5.2	+5.9	-1.3	+4.2	+59	+93	+126	+91	+21	+2.6	-4.2	+69	+8.1	-0.7	-1.2	+0.3	+4.1	+0.22	+18	+0.46	+0.82	+0.98	\$245	\$188	\$336	\$230
19	NOL24V1	-4.1	-3.6	-0.7	+6.3	+57	+92	+124	+116	+10	+2.9	-7.5	+61	+3.5	+1.7	+1.0	-1.3	+5.9	+0.57	+7	+0.74	+1.04	+1.08	\$217	\$165	\$300	\$207
20	NOL24V3	+4.9	+0.2	+1.8	+1.4	+35	+60	+71	+32	+15	+0.2	-5.5	+35	+7.3	+3.7	+4.8	-1.2	+8.4	+0.74	+18	+0.56	+1.08	+0.94	\$230	\$168	\$347	\$217
21	NOL24V7	+7.4	+2.2	-0.5	+1.2	+42	+77	+96	+105	+7	+0.7	-5.9	+35	+3.3	+4.3	+4.8	-1.2	+4.5	+0.26	+11	+0.42	+0.74	+0.94	\$183	\$145	\$255	\$164
22	NOL24V36	+1.7	+2.4	-2.5	+7.7	+54	+95	+110	+114	+7	+1.5	-2.8	+56	+2.5	+1.9	+1.8	+0.1	+1.7	+0.02	+10	+0.78	+1.00	+1.18	\$177	\$158	\$239	\$153
23	NOL24V37	+1.6	+0.8	+0.3	+4.1	+63	+105	+131	+133	+13	+3.7	-2.5	+69	+4.1	-0.8	-2.4	-0.1	+2.8	+0.57	+8	+0.98	+0.90	+1.12	\$181	\$150	\$254	\$160
24	NOL24V25	+6.1	+2.1	-5.0	+3.5	+47	+88	+112	+114	+14	+1.5	-4.5	+60	+4.3	+0.8	+1.4	+0.1	+3.1	+0.35	+13	-	-	-	\$188	\$155	\$251	\$169
25	NOL24V2	+8.7	+2.6	-3.4	+1.3	+44	+77	+102	+67	+24	+1.7	-6.3	+45	+9.2	+0.5	+1.0	-0.5	+6.7	+1.20	+22	+0.60	+0.84	+0.92	\$241	\$180	\$343	\$231
26	NOL24V39	-1.7	-5.0	-3.5	+5.9	+66	+104	+138	+109	+20	+2.2	-4.3	+77	+4.4	+1.2	-1.1	+0.2	+1.7	-0.22	+23	+0.60	+0.90	+0.98	\$214	\$171	\$288	\$193
27	NOL23U61	+5.3	+3.5	-4.1	+3.3	+49	+90	+113	+93	+15	+2.4	-5.9	+62	+5.9	+0.8	+0.5	+0.2	+3.2	+0.54	+15	-	-	-	\$222	\$186	\$291	\$206
28	NOL23U128	+8.8	+4.7	-7.8	+2.0	+46	+81	+94	+97	+11	+0.7	-4.3	+49	+3.1	+1.9	+2.2	-0.1	+1.9	-0.08	+11	+0.84	+1.12	+1.06	\$173	\$150	\$235	\$148
29	NOL23U82	+5.6	-4.6	+5.0	+3.8	+44	+82	+111	+52	+31	+4.2	-5.6	+53	+7.7	+0.7	+1.8	-0.8	+5.3	+0.67	+21	+0.46	+0.88	+0.96	\$224	\$166	\$312	\$216
30	NOL23U71	-2.2	-2.4	-2.8	+4.9	+66	+110	+142	+130	+17	+1.9	-3.5	+70	+5.7	-1.8	-3.2	-0.4	+3.2	+0.01	+11	+0.62	+0.90	+0.96	\$198	\$157	\$279	\$177
31	NOL23U205	+6.7	+4.8	-4.9	+1.1	+35	+67	+87	+63	+19	-0.8	-4.1	+50	+5.0	+4.4	+5.3	-0.4	+1.6	+0.13	+14	-	-	-	\$166	\$130	\$226	\$144
		CEDir	CEDtrs	GL	BWT	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	\$A	\$D	\$GN	\$GS
		+2.3	+3.2	-4.6	+3.9	+52	+94	+121	+103	+17	+2.2	-4.9	+69	+6.6	+0.1	-0.2	+0.4	+2.5	+0.23	+21	+0.84	+0.96	+1.02	+206	+171	+273	+190

Kunuma Angus Victoria Autumn Bull Sale 2025

Animal Ident		Calving Ease				Growth				Fertility				Carcase				Feed	Temp.	Structural			Selection Indexes				
		CEDir	CEDtrs	GL	BWT	200	400	600	MCW	Milk	SS	DTC	CWT	EMA	RIB	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	\$A	\$D	\$GN	\$GS
32	NOL23U30	+4.7	+5.5	-2.1	+3.5	+48	+69	+82	+67	+5	+3.1	-7.0	+24	+1.9	-0.6	-2.2	-0.4	+5.5	+0.62	+18	+0.48	+0.84	+0.96	\$214	\$177	\$287	\$196
33	NOL23U168	+4.3	+3.1	-1.7	+4.6	+57	+90	+126	+122	+15	+1.4	-4.2	+65	+3.7	+0.1	-0.3	-0.8	+4.8	+0.10	+3	+0.34	+0.80	+0.98	\$200	\$145	\$282	\$184
34	NOL23U162	-3.8	+6.0	-5.5	+6.2	+63	+101	+140	+147	+6	+2.0	-4.8	+76	+4.9	-0.2	+0.6	-0.5	+2.7	+0.31	+29	+0.86	+0.88	+1.04	\$192	\$148	\$259	\$176
35	NOL23U107	+6.1	+6.9	-0.6	+1.9	+35	+69	+95	+97	+15	-0.4	-2.7	+46	+6.8	+3.4	+4.4	-0.4	+4.8	+0.32	+10	+0.36	+0.70	+1.00	\$168	\$118	\$242	\$151
36	NOL23U169	+7.6	+7.6	-1.3	+3.0	+44	+81	+105	+53	+28	+2.0	-6.1	+55	+3.0	+4.8	+6.1	-1.5	+4.7	+0.44	+16	+0.32	+0.92	+1.08	\$233	\$179	\$325	\$220
37	NOL23U165	+1.6	+9.1	-9.0	+2.7	+53	+86	+130	+120	+18	+2.2	-3.2	+66	+6.3	-2.0	-2.0	+0.3	+2.7	+0.10	+14	+1.08	+0.98	+0.96	\$178	\$125	\$238	\$163
38	NOL23U190	+7.0	+4.8	-0.7	+2.8	+47	+84	+110	+58	+32	+1.6	-7.2	+74	+7.7	+1.1	+0.4	-0.5	+5.9	+0.77	+15	+0.80	+0.78	+1.10	\$261	\$202	\$360	\$250
39	NOL23U99	+4.7	+2.7	-7.5	+2.9	+35	+70	+90	+82	+20	-0.4	-3.7	+43	+0.9	+2.6	+1.8	+0.2	+2.4	+0.40	+7	+0.06	+0.74	+0.90	\$150	\$121	\$201	\$129
40	NOL23U42	+4.2	-1.6	+0.7	+3.2	+37	+69	+91	+49	+23	+3.3	-5.5	+40	+5.3	+1.9	+2.0	-0.8	+4.6	+1.20	+18	+0.48	+0.66	+1.08	\$189	\$143	\$259	\$176
41	NOL23U43	+5.2	+2.6	-0.8	+4.4	+66	+113	+146	+100	+28	+3.9	-3.9	+88	+9.8	-1.4	-2.0	+0.4	+3.7	+0.46	+17	+0.82	+1.00	+1.14	\$266	\$213	\$366	\$252
42	NOL23U8	+0.1	-4.3	-4.5	+3.9	+55	+103	+131	+140	+10	+1.7	-4.0	+59	+8.2	-0.9	-2.2	+0.7	+2.5	+0.10	+20	+0.90	+0.94	+1.06	\$187	\$157	\$248	\$168
43	NOL23U4	+8.4	+8.0	-1.4	+1.7	+44	+73	+103	+72	+21	+2.4	-5.4	+67	+4.5	+3.3	+0.9	-0.9	+5.3	+0.34	+40	+0.66	+1.06	+1.08	\$207	\$149	\$287	\$194
44	NOL23U112	+4.3	-1.9	-1.9	+6.3	+49	+86	+119	+105	+10	+2.0	-3.8	+66	+3.5	+1.8	+2.3	+0.1	+1.4	+0.40	+11	+0.66	+0.98	+1.04	\$175	\$138	\$228	\$160
45	NOL23U7	+7.6	+7.7	-3.1	+2.8	+44	+84	+112	+71	+19	+2.9	-5.6	+70	+12.8	+0.7	+0.9	+0.7	+3.5	+0.89	+12	+0.98	+1.22	+1.22	\$246	\$196	\$319	\$236

LOT 1

KUNUMA U27^V

APR

Date of Birth: 19/09/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL23U27

TEXAS POWERPLAY P613PV

AYRVALEHERCULES H9^{PV}

KUNUMA MITCH M22SV

PA FULL POWER 1208^{PV}

TEXASUNDINE H647PV

KUNUMA K133#

Sire: NOL21S173 KUNUMA S173^V

Dam: NOLP112 KUNUMA P112^V

KUNUMA H163#

TUWHARETOA A49^{PV}

KUNUMA K154#

TUWHARETOA A49^{PV}

KUNUMA E7#

KUNUMA D9#

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+4.5	+4.1	-0.7	+2.4	+46	+90	+122	+82	+27	+0.6	-1.8
Acc	57%	48%	70%	73%	73%	71%	72%	69%	74%	79%	40%
Perc	35	43	94	19	77	61	46	80	4	93	96

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+74	+10.5	-0.1	+0.9	+0.6	+2.9	-0.06	+20	+0.84	+0.94	+1.10
Acc	70%	70%	69%	70%	59%	75%	62%	76%	57%	57%	56%
Perc	35	12	52	30	35	37	21	53	51	44	73

Selection Indexes

\$A	\$D	\$GN	\$GS
\$209	\$157	\$289	\$192
49	69	37	50

Raw Structural Data

F	R	F	R			Temp
6	5	6	6	5	5	

Traits Observed: BWT,400WT,DOC,Genomics

An outstanding Kunuma S173 son to start the sale. With softness, depth and volume. Top 19% BWT, top 4% milk, top 12% EMA. Suitable for heifers.

Purchaser:..... \$:.....

LOT 2

KUNUMA U153^V

HBR

Date of Birth: 29/08/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL23U155

TE MANIA PERU P1164^{SV}

TE MANIA KIRBY K138PV

TEXAS POWERPLAY P613^{PV}

AYRVALE HERCULES H9^{PV}

TE MANIA BARUNAH J1187#

TEXAS UNDINE H647PV

Sire: VTMR1095 TE MANIA RHYNIE R1095^{PV}

Dam: NOL21S44 KUNUMA S44^{SV}

TE MANIA JAPARA P1513^{SV}

TE MANIA 15380SV

KUNUMA J115#

TUWHARETOA A49^{PV}

TE MANIA JAPARA L434#

KUNUMA C23#

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+8.2	+5.0	-7.7	-0.1	+47	+92	+122	+84	+21	+2.3	-5.1
Acc	57%	48%	70%	73%	73%	71%	72%	69%	73%	80%	40%
Perc	8	33	10	2	70	56	46	78	20	44	42

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+66	+7.3	+2.5	+2.3	-0.7	+4.4	+0.43	+30	+0.94	+1.16	+1.08
Acc	70%	70%	70%	71%	61%	74%	61%	78%	69%	69%	68%
Perc	59	39	9	14	93	11	71	17	71	88	68

Selection Indexes

\$A	\$D	\$GN	\$GS
\$227	\$175	\$311	\$215
28	45	21	25

Raw Structural Data

F	R	F	R			Temp
6	6	5	6	5	5	

Traits Observed: BWT,400WT,Genomics

The first 2 year old of our \$120,000 Te Mania R1095 and he doesn't disappoint with his easy doing, quiet nature. Top 2% BWT, top 20% milk, top 8% fats, top 11% IMF. Suitable for heifers..

Purchaser:..... \$:.....

LOT 3

KUNUMA U18^{SV}

APR

Date of Birth: 18/09/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NH1%

Animal ID: NOL23U18

TE MANIA MOJO M886^{PV}

AYRVALE HERCULES H9PV

RENNYLEA L452PV

G A R PROPHET^{SV}

TE MANIA BARUNAH F121#

RENNYLEA E5^{PV}

Sire: VTMQ1149 TE MANIA QONTEMPLATE Q1149^{PV}

Dam: NOLN145 KUNUMA N145#

TE MANIA MITTAGONG L332^{SV}

G A R PROPHETSV

KUNUMA L37#

KUNUMA J163^{SV}

TE MANIA MITTAGONG J835#

KUNUMA F69[#]

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+0.4	+2.6	-2.2	+4.5	+53	+96	+122	+104	+15	+1.8	-6.8
Acc	57%	48%	70%	73%	73%	71%	72%	69%	74%	79%	41%
Perc	70	59	83	63	42	41	46	47	63	62	12

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+60	-0.6	+0.9	+0.0	-0.5	+2.5	+0.47	+24	+1.02	+0.98	+0.98
Acc	69%	69%	69%	70%	59%	74%	61%	77%	67%	67%	65%
Perc	75	99	30	45	89	46	75	35	83	54	37

Selection Indexes

\$A	\$D	\$GN	\$GS
\$201	\$173	\$258	\$184
58	48	64	58

Raw Structural Data

F	R	F	R			Temp
6	5	6	6	5	5	

Traits Observed: BWT,400WT(x2),DOC,Genomics

Potential stud sire, will be upgraded to HBR. An exceptional Te Mania Q1149 son who has extra length, depth and power - A real head turner. Top 12% DTC, top 30% fats..

Purchaser:..... \$:.....

LOT 4

KUNUMA U101^{SV}

APR

Date of Birth: 11/09/2023

Mating Type: Natural

Genetic Conditions: AM9%,CAFU,DDFU,NHFU

Animal ID: NOL23U101

MILWILLAH NAPA N498^{PV}

MATAURI REALITY 839[#]

KUNUMA H14^{SV}

BT RIGHT TIME 24J[#]

Sire: NJWR405 MILWILLAH NAPA R405^{SV}

MILWILLAH BARUNAH H224[#]

Dam: NOLM98 KUNUMA M98[#]

MILWILLAH MITTAGONG L36[#]

TUWHARETOA REGENT D145^{PV}


KUNUMA B76[#]


ARDROSSAN CONNECTION X15^{SV}

MILWILLAH MITTAGONG D61^{SV}

KUNUMA Z178[#]

Mid July 2025 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+4.4	-1.3	-5.3	+5.5	+53	+95	+134	+138	+16	+4.2	-2.4
Acc	57%	48%	70%	73%	73%	71%	72%	69%	74%	78%	40%
Perc	36	87	37	82	42	45	23	9	62	5	92

	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+74	+4.0	-1.1	-1.2	+1.1	+0.0	+0.41	+17	+0.56	+0.84	+1.22
Acc	69%	68%	67%	69%	57%	73%	60%	75%	61%	63%	60%
Perc	36	78	74	66	13	95	69	66	7	21	94

Selection Indexes

\$A	\$D	\$GN	\$GS
\$146	\$119	\$186	\$136
94	95	96	92

Raw Structural Data

F	R	F	R			Temp
5	5	6	5	5	5	1

Traits Observed: BWT,400WT,DOC,Genomics

If you are after a bull with extra sire appeal this Milwillah R405 son is it. He has extra bone, length and lift. Top 20% growth, top 8% MCW, top 5% SS, top 13% RBY..

Purchaser:.....\$:

LOT 5

KUNUMA U72^{SV}

HBR

Date of Birth: 17/09/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL23U72

TEXAS MOUNT K002^{PV}

KC HAAS GPS[#]

RENNYLEA L452^{PV}

G A R PROPHET^{SV}

Sire: DXTN121 TEXAS NASA N121^{PV}

TEXAS UNDINE Z183^{PV}

Dam: NOLQ67 KUNUMA Q67[#]

TEXAS PRIDE L600^{PV}

R B TOUR OF DUTY 177^{PV}


KUNUMA K137[#]


KUNUMA G73^{SV}

TEXAS PRIDE E030^{SV}

KUNUMA F82[#]

Mid July 2025 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+6.2	+1.6	-6.8	+3.5	+51	+88	+115	+111	+11	+1.2	-4.2
Acc	57%	48%	70%	73%	73%	71%	72%	69%	75%	79%	42%
Perc	20	68	18	40	56	66	63	36	91	82	63

	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+86	+10.8	+0.8	+1.1	+0.8	+1.8	+0.57	+14	+1.04	+0.94	+1.00
Acc	69%	69%	69%	70%	60%	73%	60%	76%	67%	67%	64%
Perc	11	11	32	27	24	64	82	78	86	44	43

Selection Indexes

\$A	\$D	\$GN	\$GS
\$206	\$167	\$272	\$187
52	56	52	55

Raw Structural Data

F	R	F	R			Temp
6	5	5	5	5	5	2

Traits Observed: BWT,400WT(x2),DOC,Genomics

The first of our Texas NASA sons to sell. Out of a G73 daughter, he displays extra grown and bone. Top 11% CWT, top 10% EMA, top 25% RBY. Suitable for heifers.

Purchaser:.....\$:

LOT 6

KUNUMA U149^{SV}

HBR

Date of Birth: 10/11/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL23U149

MILWILLAH NAPA N498^{PV}

MATAURI REALITY 839[#]

KELLY ANGUS GET CRACKING P293^{SV}

ALLOURA GET CRACKING G10^{SV}

Sire: NJWR405 MILWILLAH NAPA R405^{SV}

MILWILLAH BARUNAH H224[#]

Dam: NOLR80 KUNUMA R80[#]

MILWILLAH MITTAGONG L36[#]

TUWHARETOA REGENT D145^{PV}


KUNUMA M158[#]


KUNUMA J163^{SV}

MILWILLAH MITTAGONG D61^{SV}

KUNUMA G34[#]

Mid July 2025 TransTasman Angus Cattle Evaluation

	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	-2.1	-0.7	-6.0	+4.8	+47	+89	+111	+113	+13	+2.7	-2.9
Acc	57%	48%	70%	73%	73%	71%	72%	69%	73%	77%	38%
Perc	84	84	27	70	72	64	71	33	82	30	87

	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+52	+1.7	-0.4	-2.3	+0.2	+1.6	-0.20	+15	+0.44	+0.78	+1.14
Acc	68%	67%	67%	68%	57%	72%	59%	74%	60%	61%	59%
Perc	90	93	59	82	59	69	12	72	2	12	82

Selection Indexes

\$A	\$D	\$GN	\$GS
\$128	\$112	\$171	\$110
98	96	98	98

Raw Structural Data

F	R	F	R			Temp
6	6	6	6	5	5	2

Traits Observed: BWT,400WT,Genomics

Another Milwillah R405 son, with trademark weight, softness and capacity. Top 30% MCW, top 30% SS, top 2% claw..

Purchaser:.....\$:

LOT 7

KUNUMA U139^{SV}

APR

Date of Birth: 11/09/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DD3%,NHFU

Animal ID: NOL23U139

MILWILLAH NAPA N498^{PV}

MATAURI REALITY 839[#]

PATHFINDER COMPLETE K22^{SV}

PATHFINDER GENESIS G357^{PV}

PATHFINDER EQUATOR H756[#]

Sire: NJWR405 MILWILLAH NAPA R405^{SV}

Dam: NOLN108 KUNUMA N108[#]

MILWILLAH MITTAGONG L36[#]

TUWHARETOA REGENT D145^{PV}


KUNUMA H163[#]


TUWHARETOA A49^{PV}

KUNUMA E7[#]

MILWILLAH MITTAGONG D61^{SV}

Mid July 2025 TransTasman Angus Cattle Evaluation







	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+10.4	+9.5	-5.4	+1.3	+38	+75	+104	+74	+25	+2.5	-3.5
Acc	57%	48%	70%	73%	73%	71%	72%	69%	75%	78%	42%
Perc	2	3	36	8	95	92	82	87	7	36	78

	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+64	+9.5	+2.9	+3.2	+0.8	+2.8	+0.26	+17	+0.42	+0.80	+0.98
Acc	70%	69%	69%	70%	60%	74%	62%	76%	61%	63%	60%
Perc	64	18	6	7	24	39	53	64	2	15	37

Selection Indexes

\$A	\$D	\$GN	\$GS
\$205	\$156	\$272	\$191
53	69	51	50

Raw Structural Data

F	R	F	R			Temp
						2
6	5	6	6	5	5	

Traits Observed: BWT,400WT,Genomics

If you want muscle and yield, don't look any further than this Milwillah R405 son out of a Pathfinder dam. Top 8% BWT, top 7% milk, top 7% fats. Suitable for heifers.

Purchaser:.....\$:

LOT 8

KUNUMA U189^{SV}

APR

Date of Birth: 22/09/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL23U189

TE MANIA PERU P1164^{SV}

TE MANIA KIRBY K138^{PV}

KELLY ANGUS KODAK P191^{PV}

RENNYLEA KODAK K522^{SV}

KELLY ANGUS PROPHET M26^{SV}

Sire: VTMR1095 TE MANIA RHYNIE R1095^{PV}

Dam: NOLR25 KUNUMA R25[#]

TE MANIA JAPARA P1513^{SV}

TE MANIA 15380^{SV}


KUNUMA N145[#]


RENNYLEA L452^{PV}

KUNUMA L37[#]

TE MANIA JAPARA L434[#]

Mid July 2025 TransTasman Angus Cattle Evaluation







	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+9.8	+5.1	-4.8	+1.0	+49	+83	+105	+70	+23	+1.6	-7.2
Acc	57%	48%	70%	73%	73%	71%	72%	69%	73%	79%	40%
Perc	3	32	45	6	63	80	81	90	14	70	8

	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+48	+9.1	+1.4	+1.6	-0.4	+4.5	+0.42	+11	+0.46	+0.74	+0.66
Acc	70%	70%	69%	70%	60%	74%	61%	77%	67%	67%	66%
Perc	94	21	21	21	86	10	70	86	2	8	1

Selection Indexes

\$A	\$D	\$GN	\$GS
\$249	\$198	\$342	\$235
10	17	7	11

Raw Structural Data

F	R	F	R			Temp
						2
5	5	5	6	5	5	

Traits Observed: BWT,400WT(x2),DOC,Genomics

A Te Mania R1095 son who has extra softness and doability. Top 5 % BWT, top 8% DTC, top 20% fats, top 10% IMF. Suitable for heifers.

Purchaser:.....\$:

LOT 9

KUNUMA U16^{SV}

HBR

Date of Birth: 18/09/2023

Mating Type: Natural

Genetic Conditions: AM1%,CAFU,DDFU,NHFU

Animal ID: NOL23U16

TEXAS MOUNT K002^{PV}

KC HAAS GPS[#]

AYRVALE BARTEL E7^{PV}

TE MANIA BARTEL B219^{PV}

EAGLEHAWK JEDDA B32^{SV}

Sire: DXTN121 TEXAS NASA N121^{PV}

Dam: NOLN93 KUNUMA N93[#]

TEXAS PRIDE L600^{PV}

R B TOUR OF DUTY 177^{PV}


KUNUMA E138[#]


LAWSONS DINKY-DI Z191^{SV}

KUNUMA B78[#]

TEXAS PRIDE E030^{SV}

Mid July 2025 TransTasman Angus Cattle Evaluation







	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+4.4	+5.5	-11.4	+3.7	+56	+100	+138	+129	+14	+3.6	-4.6
Acc	57%	48%	70%	73%	73%	71%	72%	69%	75%	79%	46%
Perc	36	28	1	45	30	31	17	14	73	10	54

	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+79	+8.4	-0.5	-1.9	+1.5	+0.4	+0.14	+31	+1.10	+1.20	+1.16
Acc	71%	70%	70%	71%	62%	74%	62%	76%	68%	68%	65%
Perc	24	27	61	77	5	91	40	16	91	92	86

Selection Indexes

\$A	\$D	\$GN	\$GS
\$206	\$174	\$255	\$196
52	46	65	44

Raw Structural Data

F	R	F	R			Temp
						2
6	5	6	6	5	5	

Traits Observed: BWT,400WT,DOC,Genomics

Another Texas NASA son with plenty of growth and volume. Top 1% GL, top 16% growth, top 10% SS, top 5% RBY. Suitable for heifers.

Purchaser:.....\$:

LOT 10

KUNUMA U50^{SV}

HBR

Date of Birth: 04/09/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DD25%,NHFU

Animal ID: NOL23U50

RENNYLEA N542^{PV}

H P C A INTENSITY[#]

PARINGA MONARCH M103^{PV}

PARINGA JUDD J5^{PV}

RENNYLEA EISA ERICA G366^{SV}

LAWSONS BARTEL E7 J1290^E

Sire: NOL21S149 KUNUMA S149^{SV}

Dam: NOLQ76 KUNUMA Q76[#]

KUNUMA J109[#]

TUWHARETOA A49^{PV}

KUNUMA QUIET M4[#]

BT RIGHT TIME 24-J[#]

KUNUMA B44[#]

KUNUMA E59^{SV}

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+3.6	+5.0	-4.6	+3.6	+51	+95	+127	+115	+22	+1.5	-7.7
Acc	57%	48%	70%	73%	73%	71%	72%	69%	72%	77%	38%
Perc	43	33	48	42	54	46	37	30	16	73	5

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+75	-0.1	-2.9	-5.0	+0.3	+3.2	+0.32	+32	+0.64	+0.88	+1.06
Acc	67%	67%	66%	67%	57%	72%	59%	73%	65%	65%	63%
Perc	33	98	95	98	53	30	60	13	14	30	62

Selection Indexes

\$A	\$D	\$GN	\$GS
\$207	\$176	\$258	\$193
51	43	63	48

Raw Structural Data

F	R	F	R			Temp
6	5	6	6	5	5	2

Traits Observed: BWT,400WT,Genomics

The first of our Kunuma S149 sons to sell. He displays great balance with extra length and muscle. Top 6% DTC, top 30% CWT, top 28% IMF. Suitable for heifers.

Purchaser:.....\$:.....

LOT 11

KUNUMA U38^{SV}

HBR

Date of Birth: 10/10/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL23U38

E W A PEYTON 642^{PV}

QUAKER HILL MANNING 4EX9[#]

KELLY ANGUS GET CRACKING P293^{SV}

ALLOURA GET CRACKING G10^{SV}

E W A 444 OF 968 PROGRESS[#]

LAWSONS BARTEL E7 H869[#]

Sire: NOLR49 KUNUMA ROBBIE R49^{SV}

Dam: NOLR21 KUNUMA R21[#]

KUNUMA J121[#]

TUWHARETOA A49^{PV}

KUNUMA QUIET M4[#]

BT RIGHT TIME 24-J[#]

KUNUMA E27[#]

KUNUMA E59^{SV}

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	-3.2	+5.7	-0.5	+3.3	+48	+84	+104	+80	+12	+2.2	-6.5
Acc	57%	48%	70%	73%	73%	71%	72%	69%	72%	76%	36%
Perc	88	26	95	36	70	77	82	82	83	47	16

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+56	+8.1	+4.0	+2.0	+0.1	+3.3	+0.47	+22	+0.52	+0.84	+1.04
Acc	67%	66%	66%	67%	56%	72%	58%	73%	61%	61%	57%
Perc	83	30	2	16	65	28	75	45	4	21	55

Selection Indexes

\$A	\$D	\$GN	\$GS
\$222	\$184	\$294	\$206
34	32	33	33

Raw Structural Data

F	R	F	R			Temp
6	6	6	6	4	5	2

Traits Observed: BWT,400WT,DOC,Genomics

A Kunuma R49 son with softness, capacity and easy doing. Top 30% BWT, top 16% DTC, top 2% fats, top 28% IMF. Suitable for heifers.

Purchaser:.....\$:.....

LOT 12

KUNUMA U9^{SV}

APR

Date of Birth: 30/09/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DD17%,NHFU

Animal ID: NOL23U9

TEXAS POWERPLAY P613^{PV}

AYRVALE HERCULES H9^{PV}

PARINGA MONARCH M103^{PV}

PARINGA JUDD J5^{PV}

TEXAS UNDINE H647^{PV}

LAWSONS BARTEL E7 J1290^E

Sire: NOL21S173 KUNUMA S173^{SV}

Dam: NOLQ94 KUNUMA Q94[#]

KUNUMA H163[#]

TUWHARETOA A49^{PV}

KUNUMA N30[#]

TUWHARETOA A49^{PV}

KUNUMA E7[#]

KUNUMA E15[#]

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+9.7	+7.3	-4.4	+1.6	+51	+99	+135	+119	+18	+0.9	-6.4
Acc	57%	48%	70%	73%	73%	71%	72%	69%	73%	77%	38%
Perc	3	12	51	10	55	35	21	25	44	88	17

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+89	+7.3	+2.1	+1.9	-0.9	+6.4	+0.54	+23	+0.86	+0.90	+0.94
Acc	68%	68%	67%	69%	57%	73%	60%	74%	61%	61%	60%
Perc	8	39	12	17	96	1	80	39	55	34	25

Selection Indexes

\$A	\$D	\$GN	\$GS
\$250	\$190	\$346	\$242
10	25	6	7

Raw Structural Data

F	R	F	R			Temp
6	5	5	5	5	5	2

Traits Observed: BWT,400WT(x2),DOC,Genomics

A Kunuma S173 son with exceptional data spread from 1.6 BWT to 136 for 600 days, out to a massive 6.3 IMF! Top 10% BWT, top 20% growth, top 17% DTC, top 12% fats, top 1% IMF. Suitable for heifers.

Purchaser:.....\$:.....

LOT 13

KUNUMA V40^{SV}

APR

Date of Birth: 11/03/2024

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NH3%

Animal ID: NOL24V40

MILWILLAH NAPA N498^{PV}

MATAURI REALITY 839[#]

RENNYLEA L454^{PV}

G A R PROPHET^{SV}

MILWILLAH BARUNAH H224[#]

RENNYLEA E5^{PV}

Sire: NJWR405 MILWILLAH NAPA R405^{SV}

Dam: NOLN48 KUNUMA N48[#]

MILWILLAH MITTAGONG L36[#]

TUWHARETOA REGENT D145^{PV}

KUNUMA K12[#]

KUNUMA H8^{SV}

MILWILLAH MITTAGONG D61^{SV}

KUNUMA D1[#]

Mid July 2025 TransTasman Angus Cattle Evaluation												Selection Indexes			
TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC	\$A	\$D	\$GN	\$GS
EBVs	+9.4	+5.5	-5.8	+2.9	+36	+76	+91	+72	+17	+0.8	-5.4	\$197	\$171	\$252	\$179
Acc	57%	48%	70%	73%	73%	71%	72%	69%	73%	78%	38%	62	50	68	63
Perc	4	28	30	28	97	91	95	89	49	90	35				
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	Raw Structural Data			
EBVs	+54	+7.3	+2.8	+3.1	+0.7	+1.8	+0.15	+13	+0.52	+0.70	+1.06	F	R	F	R
Acc	69%	68%	67%	69%	57%	73%	60%	75%	61%	61%	59%	6	6	6	5
Perc	86	39	7	8	30	64	41	80	4	5	62	5	5	6	2

Traits Observed: BWT,400WT,DOC,Genomics

The first of our 18 month old Milwillah R405 sons to sell who has extra frame and shape out of a proven Rennylea cow. Top 28% BWT, top 7% fats, top 5% claw. Suitable for heifers.

Purchaser:.....\$:

LOT 14

KUNUMA V28^{SV}

HBR

Date of Birth: 01/01/2024

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL24V28

MILWILLAH NAPA N498^{PV}

MATAURI REALITY 839[#]

JINDRA DOUBLE VISION^{SV}

CONNEALY REFLECTION[#]

MILWILLAH BARUNAH H224[#]

HOFF RACHEL 8312 405[#]

Sire: NJWR405 MILWILLAH NAPA R405^{SV}

Dam: NOLL34 KUNUMA L34[#]

MILWILLAH MITTAGONG L36[#]

TUWHARETOA REGENT D145^{PV}

KUNUMA H3[#]

KUNUMA E129^{SV}

MILWILLAH MITTAGONG D61^{SV}

KUNUMA F55[#]

Mid July 2025 TransTasman Angus Cattle Evaluation												Selection Indexes			
TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC	\$A	\$D	\$GN	\$GS
EBVs	-0.9	+2.3	+0.7	+6.2	+49	+90	+120	+146	+11	+1.8	-3.5	\$119	\$104	\$155	\$106
Acc	57%	48%	70%	73%	73%	71%	72%	69%	73%	78%	40%	99	98	99	98
Perc	78	62	98	90	63	61	51	6	90	62	78				
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	Raw Structural Data			
EBVs	+70	+0.0	-1.7	-2.9	+0.5	+1.2	+0.01	+14	+0.68	+0.98	+1.26	F	R	F	R
Acc	69%	68%	68%	69%	58%	73%	60%	74%	63%	64%	60%	5	5	6	6
Perc	45	98	84	88	41	78	27	78	20	54	97	4	6	4	2

Traits Observed: BWT,400WT,Genomics

An upstanding, free moving cow bull by Milwillah R405 out of a Double Vision dam. Top 5% MCW..

Purchaser:.....\$:

LOT 15

KUNUMA V31^{PV}

APR

Date of Birth: 22/03/2024

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL24V31

TE MANIA PERU P1164^{SV}

TE MANIA KIRBY K138^{PV}

TE MANIA EMPEROR E343^{PV}

TE MANIA BERKLEY B1^{PV}

TE MANIA BARUNAH J1187[#]

TE MANIA LOWAN Z74^{PV}

Sire: VTMR1095 TE MANIA RHYNIE R1095^{PV}

Dam: NOLP71 KUNUMA P71^{SV}

TE MANIA JAPARA P1513^{SV}

TE MANIA 15380^{SV}

KUNUMA J158[#]

RENNYLEA BLACK GOLD F340^{PV}

TE MANIA JAPARA L434[#]

KUNUMA G78[#]

Mid July 2025 TransTasman Angus Cattle Evaluation												Selection Indexes			
TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC	\$A	\$D	\$GN	\$GS
EBVs	+3.3	-0.3	-3.2	+4.5	+57	+94	+135	+129	+10	+1.9	-4.0	\$178	\$126	\$247	\$163
Acc	57%	48%	70%	73%	73%	71%	72%	69%	74%	80%	44%	80	92	71	78
Perc	46	82	71	63	25	49	21	15	93	59	68				
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	Raw Structural Data			
EBVs	+68	+0.9	+0.7	-0.7	-1.3	+4.4	+0.38	+23	+0.46	+0.84	+1.08	F	R	F	R
Acc	71%	71%	70%	71%	62%	75%	63%	78%	70%	70%	69%	6	5	5	6
Perc	51	96	34	58	99	11	66	39	2	21	68	5	5	5	2

Traits Observed: BWT,400WT,DOC,Genomics

An easy fleshing Te Mania R1095 son with a great data spread. Top 20% growth, top 10% IMF, top 15% MCW, top 2% claw..

Purchaser:.....\$:

LOT 16

KUNUMA V12^{SV}

HBR

Date of Birth: 25/03/2024

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL24V12

TE MANIA PERU P1164^{SV}

TE MANIA KIRBY K138^{PV}

KELLY ANGUS KODAK P191^{PV}

RENNYLEA KODAK K522^{SV}

Sire: VTMR1095 TE MANIA RHYNIE R1095^{PV}

TE MANIA BARUNAH J1187[#]

Dam: NOLR38 KUNUMA R38[#]

TE MANIA JAPARA P1513^{SV}

TE MANIA 15380^{SV}

KUNUMA N93[#]

AYRVALE BARTEL E7^{PV}

TE MANIA JAPARA L434[#]

KUNUMA E138[#]

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+4.9	+2.6	-2.1	+5.4	+57	+95	+115	+121	+16	+1.8	-5.2
Acc	57%	48%	70%	73%	73%	71%	72%	69%	73%	79%	41%
Perc	31	59	84	80	25	44	63	22	60	62	39

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+48	+9.7	-0.2	-0.1	+0.3	+5.0	+0.37	+18	+0.50	+0.82	+1.00
Acc	70%	70%	70%	71%	60%	74%	62%	78%	68%	68%	67%
Perc	94	17	54	47	53	6	65	59	4	18	43

Selection Indexes

\$A	\$D	\$GN	\$GS
\$239	\$195	\$334	\$221
17	20	9	20

Raw Structural Data

F	R	F	R			Temp
6	6	6	6	4	6	2

Traits Observed: BWT,400WT,DOC,Genomics

A high marbling, thick Te Mania R1095 son out of a Kodak dam. Top 20% MCW, top 16% EMA, top 5% IMF, top 5% claw..

Purchaser:.....\$:

LOT 17

KUNUMA V9^{SV}

APR

Date of Birth: 16/03/2024

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL24V9

MILWILLAH NAPA N498^{PV}

MATAURI REALITY 839[#]

KUNUMA H14^{SV}

BT RIGHT TIME 24J[#]

Sire: NJWR405 MILWILLAH NAPA R405^{SV}

MILWILLAH BARUNAH H224[#]

Dam: NOLL161 KUNUMA L161[#]

MILWILLAH MITTAGONG L36[#]

TUWHARETOA REGENT D145^{PV}

KUNUMA G85[#]

KUNUMA E129^{SV}

MILWILLAH MITTAGONG D61^{SV}

KUNUMA E10[#]

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+5.7	+6.7	-2.8	+3.3	+43	+83	+112	+106	+14	+1.8	-1.7
Acc	57%	48%	70%	73%	73%	71%	72%	69%	73%	77%	39%
Perc	24	17	76	36	85	79	68	43	76	62	97

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+61	+4.4	+0.5	-1.3	+0.3	+2.9	+0.34	+29	+0.76	+0.96	+1.08
Acc	68%	67%	67%	68%	57%	73%	59%	74%	61%	63%	59%
Perc	72	74	38	68	53	37	62	20	34	49	68

Selection Indexes

\$A	\$D	\$GN	\$GS
\$152	\$117	\$206	\$135
93	95	91	93

Raw Structural Data

F	R	F	R			Temp
6	6	6	6	5	6	2

Traits Observed: BWT,400WT,DOC,Genomics

Another stylish Milwillah R405 son out of a proven 24J cow. Suitable for heifers.

Purchaser:.....\$:

LOT 18

KUNUMA V21^{SV}

APR

Date of Birth: 01/01/2024

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DD13%,NHFU

Animal ID: NOL24V21

TE MANIA PERU P1164^{SV}

TE MANIA KIRBY K138^{PV}

KUNUMA COMPLICATOR P129^{SV}

EF COMPLEMENT 8088^{PV}

Sire: VTMR1095 TE MANIA RHYNIE R1095^{PV}

TE MANIA BARUNAH J1187[#]

Dam: NOLR34 KUNUMA R34[#]

TE MANIA JAPARA P1513^{SV}

TE MANIA 15380^{SV}

KUNUMA P108[#]

PARINGA MONARCH M103^{PV}

TE MANIA JAPARA L434[#]

KUNUMA M145[#]

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+5.2	+5.9	-1.3	+4.2	+59	+93	+126	+91	+21	+2.6	-4.2
Acc	57%	48%	70%	73%	73%	71%	72%	69%	73%	79%	40%
Perc	28	24	91	56	19	50	38	68	23	33	63

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+69	+8.1	-0.7	-1.2	+0.3	+4.1	+0.22	+18	+0.46	+0.82	+0.98
Acc	69%	69%	69%	70%	60%	74%	61%	77%	67%	67%	65%
Perc	48	30	66	66	53	15	49	59	2	18	37

Selection Indexes

\$A	\$D	\$GN	\$GS
\$245	\$188	\$336	\$230
12	27	8	13

Raw Structural Data

F	R	F	R			Temp
6	6	6	6	5	5	2

Traits Observed: 400WT,Genomics

A framey and attractive Te Mania R1095 son who carries his weight and shape well. Top 20% 200 day, top 25% milk, top 15% IMF, top 2% claw. Suitable for heifers.

Purchaser:.....\$:

LOT 19

KUNUMA V1^{SV}

APR

Date of Birth: 15/03/2024

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL24V1

TE MANIA PERU P1164^{SV}

TE MANIA KIRBY K138^{PV}

KELLY ANGUS GET CRACKING P293^{SV}

ALLOURA GET CRACKING G10^{SV}

TE MANIA BARUNAH J1187[#]

LAWSONS BARTEL E7 H869[#]

Sire: VTMR1095 TE MANIA RHYNIE R1095^{PV}

Dam: NOLR35 KUNUMA R35[#]

TE MANIA JAPARA P1513^{SV}

TE MANIA 15380^{SV}

KUNUMA M135[#]

KUNUMA J163^{SV}

TE MANIA JAPARA L434[#]

KUNUMA G88[#]

Mid July 2025 TransTasman Angus Cattle Evaluation												Selection Indexes			
TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC	\$A	\$D	\$GN	\$GS
EBVs	-4.1	-3.6	-0.7	+6.3	+57	+92	+124	+116	+10	+2.9	-7.5	\$217	\$165	\$300	\$207
Acc	57%	48%	70%	73%	73%	71%	72%	69%	73%	79%	39%	39	58	28	33
Perc	91	94	94	91	26	54	42	29	94	24	6				
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	Raw Structural Data			
EBVs	+61	+3.5	+1.7	+1.0	-1.3	+5.9	+0.57	+7	+0.74	+1.04	+1.08	F	R	F	R
Acc	69%	70%	69%	70%	60%	74%	61%	77%	66%	66%	65%	6	6	6	6
Perc	72	82	17	29	99	2	82	93	30	68	68	6	6	6	5
												Temp	6	6	2
Traits Observed: BWT,400WT,DOC,Genomics															

Extra strength and bone in this Te Mania R1095 son from a Get Cracking dam. Top 6% DTC, top 17% fats, top 2% IMF.

Purchaser:.....\$:

LOT 20

KUNUMA V3^{SV}

APR

Date of Birth: 01/04/2024

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL24V3

TE MANIA PERU P1164^{SV}

TE MANIA KIRBY K138^{PV}

KELLY ANGUS GET CRACKING P293^{SV}

ALLOURA GET CRACKING G10^{SV}

TE MANIA BARUNAH J1187[#]

LAWSONS BARTEL E7 H869[#]

Sire: VTMR1095 TE MANIA RHYNIE R1095^{PV}

Dam: NOLR62 KUNUMA R62[#]

TE MANIA JAPARA P1513^{SV}

TE MANIA 15380^{SV}

KUNUMA L133[#]

KUNUMA H14^{SV}

TE MANIA JAPARA L434[#]

KUNUMA F19[#]

Mid July 2025 TransTasman Angus Cattle Evaluation												Selection Indexes			
TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC	\$A	\$D	\$GN	\$GS
EBVs	+4.9	+0.2	+1.8	+1.4	+35	+60	+71	+32	+15	+0.2	-5.5	\$230	\$168	\$347	\$217
Acc	57%	48%	70%	73%	73%	71%	72%	69%	71%	78%	38%	25	54	5	23
Perc	31	79	99	8	98	99	99	99	69	97	33				
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	Raw Structural Data			
EBVs	+35	+7.3	+3.7	+4.8	-1.2	+8.4	+0.74	+18	+0.56	+1.08	+0.94	F	R	F	R
Acc	68%	68%	68%	69%	58%	72%	59%	76%	67%	68%	66%	6	6	6	6
Perc	99	39	3	2	99	1	91	59	7	76	25	6	6	5	6
												Temp	6	6	2
Traits Observed: BWT,400WT,DOC,Genomics															

Top 1% IMF at a whopping 8.4 in this Te Mania R 1095 son who outshines his growth data. Top 8% BWT, top 2% fats, top 7% claw. Suitable for heifers.

Purchaser:.....\$:

LOT 21

KUNUMA V7^{SV}

APR

Date of Birth: 22/03/2024

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL24V7

TE MANIA PERU P1164^{SV}

TE MANIA KIRBY K138^{PV}

CHILTERN PARK MOE M6^{PV}

TE MANIA FOE F734^{SV}

TE MANIA BARUNAH J1187[#]

STRATHEWEN TIMEOUT JADE F15^{PV}

Sire: VTMR1095 TE MANIA RHYNIE R1095^{PV}

Dam: NOLR89 KUNUMA ROXY R89[#]

TE MANIA JAPARA P1513^{SV}

TE MANIA 15380^{SV}

KUNUMA P22^{SV}

RENNYLEA L452^{PV}

TE MANIA JAPARA L434[#]

KUNUMA F43[#]

Mid July 2025 TransTasman Angus Cattle Evaluation												Selection Indexes			
TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC	\$A	\$D	\$GN	\$GS
EBVs	+7.4	+2.2	-0.5	+1.2	+42	+77	+96	+105	+7	+0.7	-5.9	\$183	\$145	\$255	\$164
Acc	57%	48%	70%	73%	73%	71%	72%	69%	74%	80%	42%	76	80	66	76
Perc	12	63	95	7	88	89	91	46	99	92	25				
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	Raw Structural Data			
EBVs	+35	+3.3	+4.3	+4.8	-1.2	+4.5	+0.26	+11	+0.42	+0.74	+0.94	F	R	F	R
Acc	71%	71%	70%	71%	61%	74%	62%	78%	69%	69%	68%	6	6	6	6
Perc	99	84	2	2	99	10	53	85	2	8	25	6	6	5	5
												Temp	6	6	1
Traits Observed: BWT,400WT,DOC,Genomics															

Another high marbling Te Mania R1095 son with softness out of a ever reliable Moe dam. Top 7% BWT, top 2% fats, top 10% IMF, top 2% claw. Suitable for heifers.

Purchaser:.....\$:

LOT 22

KUNUMA V36^{SV}

APR

Date of Birth: 21/03/2024

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL24V36

MILWILLAH NAPA N498^{PV}

MATAURI REALITY 839[#]

CHILTERN PARK MOE M6^{PV}

TE MANIA FOE F734^{SV}

Sire: NJWR405 MILWILLAH NAPA R405^{SV}

MILWILLAH BARUNAH H224[#]

Dam: NOLR81 KUNUMA RAINER R81[#]

MILWILLAH MITTAGONG L36[#]

TUWHARETOA REGENT D145^{PV}


KUNUMA P13^{SV}


KUNUMA MITCH M22^{SV}

MILWILLAH MITTAGONG D61^{SV}

KUNUMA K136[#]

Mid July 2025 TransTasman Angus Cattle Evaluation







	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+1.7	+2.4	-2.5	+7.7	+54	+95	+110	+114	+7	+1.5	-2.8
Acc	57%	48%	70%	73%	73%	71%	72%	69%	73%	77%	40%
Perc	60	61	80	98	38	45	73	31	98	73	88

	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+56	+2.5	+1.9	+1.8	+0.1	+1.7	+0.02	+10	+0.78	+1.00	+1.18
Acc	68%	68%	67%	69%	58%	73%	60%	75%	64%	65%	63%
Perc	83	89	15	19	65	66	28	88	38	59	89

Selection Indexes

\$A	\$D	\$GN	\$GS
\$177	\$158	\$239	\$153
80	67	76	84

Raw Structural Data

F	R	F	R			Temp
						2
6	6	6	6	5	5	

Traits Observed: BWT,400WT,DOC,Genomics

Purchaser:.....

\$:.....

LOT 23

KUNUMA V37^{SV}

HBR

Date of Birth: 22/03/2024

Mating Type: Natural

Genetic Conditions: AM1%,CAFU,DDFU,NHFU

Animal ID: NOL24V37

E W A PEYTON 642^{PV}

QUAKER HILL MANNING 4EX9[#]

BALDRIDGE BEAST MODE B074^{PV}

G A R PROPHET^{SV}

Sire: NOLR49 KUNUMA ROBBIE R49^{SV}

KUNUMA J121[#]

Dam: NOLQ14 KUNUMA Q14[#]

TUWHARETOA A49^{PV}


KUNUMA E27[#]


KUNUMA K136[#]

KUNUMA G73^{SV}

KUNUMA F58[#]

Mid July 2025 TransTasman Angus Cattle Evaluation







	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+1.6	+0.8	+0.3	+4.1	+63	+105	+131	+133	+13	+3.7	-2.5
Acc	57%	48%	70%	73%	73%	71%	72%	69%	71%	76%	38%
Perc	61	75	97	54	10	20	28	12	83	9	91

	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+69	+4.1	-0.8	-2.4	-0.1	+2.8	+0.57	+8	+0.98	+0.90	+1.12
Acc	67%	66%	66%	67%	56%	71%	58%	73%	65%	65%	60%
Perc	49	77	68	83	75	39	82	92	77	34	78

Selection Indexes

\$A	\$D	\$GN	\$GS
\$181	\$150	\$254	\$160
77	76	66	80

Raw Structural Data

F	R	F	R			Temp
						2
6	6	6	6	5	6	

Traits Observed: BWT,DOC,Genomics

Purchaser:.....

\$:.....

LOT 24

KUNUMA V25[#]

HBR

Date of Birth: 01/01/2024

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL24V25

MILWILLAH NAPA N498^{PV}

MATAURI REALITY 839[#]

KELLY ANGUS GET CRACKING P293^{SV}

ALLOURA GET CRACKING G10^{SV}

Sire: NJWR405 MILWILLAH NAPA R405^{SV}

MILWILLAH BARUNAH H224[#]

Dam: NOLR69 KUNUMA R69[#]

MILWILLAH MITTAGONG L36[#]

TUWHARETOA REGENT D145^{PV}


KUNUMA J6[#]


KUNUMA G5^{SV}

MILWILLAH MITTAGONG D61^{SV}

KUNUMA F18[#]

Mid July 2025 TransTasman Angus Cattle Evaluation







	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+6.1	+2.1	-5.0	+3.5	+47	+88	+112	+114	+14	+1.5	-4.5
Acc	57%	48%	70%	73%	73%	71%	72%	69%	57%	60%	34%
Perc	21	64	42	40	72	66	69	32	71	73	56

	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+60	+4.3	+0.8	+1.4	+0.1	+3.1	+0.35	+13	-	-	-
Acc	57%	55%	57%	57%	49%	60%	49%	59%	-	-	-
Perc	75	75	32	23	65	32	63	81	-	-	-

Selection Indexes

\$A	\$D	\$GN	\$GS
\$188	\$155	\$251	\$169
71	71	69	72

Raw Structural Data

F	R	F	R			Temp
						2
5	6	6	6	5	5	

Traits Observed: BWT,400WT

Purchaser:.....

\$:.....





LOT 25

KUNUMA V2^{SV}

APR

Date of Birth: 16/03/2024

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL24V2

TE MANIA PERU P1164^{SV}

TE MANIA KIRBY K138^{PV}

KELLY ANGUS GET CRACKING P293^{SV}

ALLOURA GET CRACKING G10^{SV}

TE MANIA BARUNAH J1187[#]

LAWSONS BARTEL E7 H869[#]

Sire: VTMR1095 TE MANIA RHYNIE R1095^{PV}

Dam: NOLR67 KUNUMA R67[#]

TE MANIA JAPARA P1513^{SV}

TE MANIA 15380^{SV}

KUNUMA J112[#]

TUWHARETOA A49^{PV}

TE MANIA JAPARA L434[#]

KUNUMA E10[#]

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+8.7	+2.6	-3.4	+1.3	+44	+77	+102	+67	+24	+1.7	-6.3
Acc	57%	48%	70%	73%	73%	71%	72%	69%	72%	78%	40%
Perc	6	59	68	8	81	90	85	93	11	66	19

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+45	+9.2	+0.5	+1.0	-0.5	+6.7	+1.20	+22	+0.60	+0.84	+0.92
Acc	68%	69%	68%	69%	59%	73%	60%	76%	67%	67%	67%
Perc	96	21	38	29	89	1	99	45	10	21	21

\$A	\$D	\$GN	\$GS
\$241	\$180	\$343	\$231
15	38	6	13

F	R	F	R			Temp
6	6	5	5	5	5	2

Traits Observed: BWT,400WT,DOC,Genomics

Another high marbling Te Mania R1095 X Get Cracking that carries extra muscle. Top 8% BWT, top 11% milk, top 20% EMA, top 1% IMF. Suitable for heifers.

Purchaser:.....

\$:.....

LOT 26

KUNUMA V39^{SV}

HBR

Date of Birth: 07/03/2024

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL24V39

TE MANIA PERU P1164^{SV}

TE MANIA KIRBY K138^{PV}

CHILTERN PARK MOE M6^{PV}

TE MANIA FOE F734^{SV}

TE MANIA BARUNAH J1187[#]

STRATHEWEN TIMEOUT JADE F15^{PV}

Sire: VTMR1095 TE MANIA RHYNIE R1095^{PV}

Dam: NOLR102 KUNUMA R102[#]

TE MANIA JAPARA P1513^{SV}

TE MANIA 15380^{SV}

KUNUMA PRETTY GIRL P60^{SV}

RENNYLEA L452^{PV}

TE MANIA JAPARA L434[#]

KUNUMA J121[#]

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	-1.7	-5.0	-3.5	+5.9	+66	+104	+138	+109	+20	+2.2	-4.3
Acc	57%	48%	70%	73%	73%	71%	72%	69%	72%	79%	40%
Perc	82	97	66	87	6	22	17	39	30	47	61

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+77	+4.4	+1.2	-1.1	+0.2	+1.7	-0.22	+23	+0.60	+0.90	+0.98
Acc	69%	69%	69%	70%	60%	73%	61%	77%	71%	71%	69%
Perc	27	74	24	65	59	66	11	39	10	34	37

\$A	\$D	\$GN	\$GS
\$214	\$171	\$288	\$193
42	50	38	48

F	R	F	R			Temp
6	5	5	5	4	5	2

Traits Observed: BWT,400WT,DOC,Genomics

The last of our 18 month old bulls who certainly doesn't disappoint. Out of an extra capacity Moe daughter. Top 6% 200 days, top 18% 600 days, top 10% claw..

Purchaser:.....

\$:.....

LOT 27

KUNUMA U61[#]

APR

Date of Birth: 12/11/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL23U61

RENNYLEA N542^{PV}

H P C A INTENSITY[#]

TUWHARETOA A49^{PV}

ARDROSSAN CONNECTION X15^{SV}

RENNYLEA EISA ERICA G366^{SV}

TUWHARETOA Y144[#]

Sire: NOL21S149 KUNUMA S149^{SV}

Dam: NOLJ112 KUNUMA J112[#]

KUNUMA J109[#]

TUWHARETOA A49^{PV}

KUNUMA E10[#]

BOOROOMOOKA THEO T030^{SV}

KUNUMA B44[#]

KUNUMA C94[#]

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+5.3	+3.5	-4.1	+3.3	+49	+90	+113	+93	+15	+2.4	-5.9
Acc	57%	48%	70%	73%	73%	71%	72%	69%	58%	61%	36%
Perc	27	50	56	36	64	61	67	65	69	40	25

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+62	+5.9	+0.8	+0.5	+0.2	+3.2	+0.54	+15	-	-	-
Acc	57%	56%	58%	58%	51%	61%	49%	58%	-	-	-
Perc	68	56	32	37	59	30	80	74	-	-	-

\$A	\$D	\$GN	\$GS
\$222	\$186	\$291	\$206
33	30	36	33

F	R	F	R			Temp
6	5	5	5	4	5	1

Traits Observed: BWT,400WT(x2),DOC

A Kunuma S149 son who is strong topped and easy doing out of an A49 dam. Top 30% IMF, top 25% DTC. Suitable for heifers.

Purchaser:.....

\$:.....

LOT 28

KUNUMA U128^{SV}

APR

Date of Birth: 16/09/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DD1%,NHFU

Animal ID: NOL23U128

MILWILLAH NAPA N498^{PV}

MATAURI REALITY 839[#]

KAROO D145 GENERATOR G220^{PV}

TUWHARETOA REGENT D145^{PV}

MILWILLAH BARUNAH H224[#]

KAROO WILCOOLA B15^{SV}

Sire: NJWR405 MILWILLAH NAPA R405^{SV}

Dam: NOLK10 KUNUMA K10[#]

MILWILLAH MITTAGONG L36[#]

TUWHARETOA REGENT D145^{PV}

KUNUMA H141[#]

MILWILLAH MITTAGONG D61^{SV}

TUWHARETOA A49^{PV}

KUNUMA E94[#]

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+8.8	+4.7	-7.8	+2.0	+46	+81	+94	+97	+11	+0.7	-4.3
Acc	57%	48%	70%	73%	73%	71%	72%	69%	73%	77%	39%
Perc	5	36	10	14	76	83	93	58	89	92	61

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+49	+3.1	+1.9	+2.2	-0.1	+1.9	-0.08	+11	+0.84	+1.12	+1.06
Acc	69%	68%	67%	69%	58%	73%	60%	74%	63%	64%	60%
Perc	92	85	15	14	75	61	20	86	51	83	62

Selection Indexes

\$A	\$D	\$GN	\$GS
\$173	\$150	\$235	\$148
83	75	79	87

Raw Structural Data

F	R	F	R			Temp
6	6	6	6	5	6	2

Traits Observed: BWT,400WT,DOC,Genomics

Purchaser:.....

\$:.....

LOT 29

KUNUMA U82^{SV}

APR

Date of Birth: 22/08/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL23U82

TE MANIA PERU P1164^{SV}

TE MANIA KIRBY K138^{PV}

CHILTERN PARK MOE M6^{PV}

TE MANIA FOE F734^{SV}

TE MANIA BARUNAH J1187[#]

STRATHEWEN TIMEOUT JADE F15^{PV}

Sire: VTMR1095 TE MANIA RHYNIE R1095^{PV}

Dam: NOLR104 KUNUMA MOE R104[#]

TE MANIA JAPARA P1513^{SV}

TE MANIA 15380^{SV}

KUNUMA P21^{SV}

TE MANIA JAPARA L434[#]

RENNYLEA L452^{PV}

KUNUMA H120[#]

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+5.6	-4.6	+5.0	+3.8	+44	+82	+111	+52	+31	+4.2	-5.6
Acc	57%	48%	70%	73%	73%	71%	72%	69%	73%	80%	42%
Perc	25	96	99	47	82	80	71	98	1	5	31

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+53	+7.7	+0.7	+1.8	-0.8	+5.3	+0.67	+21	+0.46	+0.88	+0.96
Acc	70%	70%	70%	71%	61%	74%	62%	78%	69%	69%	68%
Perc	88	35	34	19	95	4	88	50	2	30	31

Selection Indexes

\$A	\$D	\$GN	\$GS
\$224	\$166	\$312	\$216
31	57	20	24

Raw Structural Data

F	R	F	R			Temp
7	7	6	7	4	6	2

Traits Observed: BWT,400WT,DOC,Genomics

Purchaser:.....

\$:.....

LOT 30

KUNUMA U71^{SV}

APR

Date of Birth: 28/09/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL23U71

TE MANIA PERU P1164^{SV}

TE MANIA KIRBY K138^{PV}

KUNUMA COMPLICATOR P129^{SV}

EF COMPLEMENT 8088^{PV}

TE MANIA BARUNAH J1187[#]

KUNUMA G51[#]

Sire: VTMR1095 TE MANIA RHYNIE R1095^{PV}

Dam: NOLR96 KUNUMA R96[#]

TE MANIA JAPARA P1513^{SV}

TE MANIA 15380^{SV}

KUNUMA P32^{SV}

TE MANIA JAPARA L434[#]

KUNUMA MITCH M22^{SV}

KUNUMA QUIET K5[#]

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	-2.2	-2.4	-2.8	+4.9	+66	+110	+142	+130	+17	+1.9	-3.5
Acc	57%	48%	70%	73%	73%	71%	72%	69%	72%	79%	39%
Perc	84	91	76	72	5	12	13	14	55	59	78

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+70	+5.7	-1.8	-3.2	-0.4	+3.2	+0.01	+11	+0.62	+0.90	+0.96
Acc	69%	69%	69%	70%	60%	73%	60%	77%	69%	69%	67%
Perc	48	59	86	90	86	30	27	84	12	34	31

Selection Indexes

\$A	\$D	\$GN	\$GS
\$198	\$157	\$279	\$177
61	69	46	65

Raw Structural Data

F	R	F	R			Temp
5	5	5	6	5	5	2

Traits Observed: BWT,400WT,DOC,Genomics

Purchaser:.....

\$:.....

Top 5%

Top 10%

Top 30%

LOT 31

KUNUMA U205[#]

APR

Date of Birth: 12/12/2023

Mating Type: Natural

Genetic Conditions: AM3%,CAFU,DDFU,NHFU

Animal ID: NOL23U205

TEXAS POWERPLAY P613^{PV}

AYRVALE HERCULES H9^{PV}

KUNUMA J163^{SV}

BT RIGHT TIME 24J[#]

Sire: NOL21S57 KUNUMA POWERPLAY S57^{SV}

Dam: NOLL14 KUNUMA L14[#]

KUNUMA Q95[#]









BALDRIDGE BEAST MODE B074^{PV}

KUNUMA F3[#]

KUNUMA C36^{SV}

KUNUMA G34[#]

KUNUMA Z163[#]

Mid July 2025 TransTasman Angus Cattle Evaluation												Selection Indexes						
	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC	\$A	\$D	\$GN	\$GS			
EBVs	+6.7	+4.8	-4.9	+1.1	+35	+67	+87	+63	+19	-0.8	-4.1	\$166	\$130	\$226	\$144			
Acc	57%	48%	70%	73%	73%	71%	72%	69%	55%	59%	31%	87	90	84	89			
Perc	16	35	43	6	98	98	97	95	35	99	65							
	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	Raw Structural Data						
EBVs	+50	+5.0	+4.4	+5.3	-0.4	+1.6	+0.13	+14	-	-	-							Temp
Acc	54%	53%	55%	55%	47%	58%	46%	56%	-	-	-	7	6	7	7	5	5	1
Perc	92	67	2	2	86	69	39	75	-	-	-							

Traits Observed: BWT,400WT

Kunuma S57 son who is easy doing with a docile nature. Top 6% BWT, top 2% fats. Suitable for heifers.

Kunuma S57 son who is easy doing with a docile nature. Top 6% BWT, top 2% fats. Suitable for heifers.

Purchaser:.....\$:.....

LOT 32

KUNUMA U30^{SV}

HBR

Date of Birth: 01/09/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL23U30

TE MANIA PERU P1164^{SV}

TE MANIA KIRBY K138^{PV}

KELLY ANGUS KODAK P191^{PV}

RENNYLEA KODAK K522^{SV}

Sire: VTMR1095 TE MANIA RHYNIE R1095^{PV}

Dam: NOLR33 KUNUMA R33[#]









TE MANIA JAPARA P1513^{SV}

TE MANIA JAPARA L434[#]

KUNUMA N155[#]

RENNYLEA L454^{PV}

KUNUMA L82[#]

Mid July 2025 TransTasman Angus Cattle Evaluation												Selection Indexes							
	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC	\$A	\$D	\$GN	\$GS				
	EBVs	+4.7	+5.5	-2.1	+3.5	+48	+69	+82	+67	+5	+3.1	-7.0	\$214	\$177	\$287	\$196			
	Acc	57%	48%	70%	73%	73%	71%	72%	69%	73%	79%	40%	43	42	39	44			
	Perc	33	28	84	40	70	97	98	92	99	19	10							
Raw Structural Data																			
	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	F 	R 	F 	R 			Temp	
	EBVs	+24	+1.9	-0.6	-2.2	-0.4	+5.5	+0.62	+18	+0.48	+0.84	+0.96	6	5	6	6	5	5	1
	Acc	70%	70%	69%	70%	60%	74%	61%	77%	67%	67%	66%							
	Perc	99	92	64	81	86	3	86	60	3	21	31							
Traits Observed: BWT,400WT,DOC,Genomics																			
Another high marbling R1095 son who is docile, thick and attractive. Top 10% DTC, top 19% SS, top 3% IMB. Suitable for heifers.																			

Another high marbling R1095 son who is docile, thick and attractive. Top 10% DTC, top 19% SS, top 3% IMB. Suitable for heifers.

Purchaser:.....\$:.....

LOT 33

KUNUMA U168^{PV}

APR

Date of Birth: 02/09/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DD1%,NHFU

Animal ID: NOL23U168

TE MANIA PERU P1164^{SV}

TE MANIA KIRBY K138^{PV}

KUNUMA BEASTY BOY Q98^{SV}

BALDRIDGE BEAST MODE B074^{PV}

Sire: VTMR1095 TE MANIA RHYNIE R1095^{PV}

Dam: NOL21S32 KUNUMA S32^{SV}









TE MANIA JAPARA P1513^{SV}

TE MANIA JAPARA L434[#]

KUNUMA Q99[#]

KUNUMA N124^{SV}

KUNUMA K63[#]

Mid July 2025 TransTasman Angus Cattle Evaluation												Selection Indexes						
TACE 	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC	\$A	\$D	\$GN	\$GS			
EBVs	+4.3	+3.1	-1.7	+4.6	+57	+90	+126	+122	+15	+1.4	-4.2	\$200	\$145	\$282	\$184			
Acc	57%	48%	70%	73%	73%	71%	72%	69%	74%	80%	41%	58	80	43	58			
Perc	37	54	88	65	28	59	37	22	67	76	63							
TACE 	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	Raw Structural Data						
EBVs	+65	+3.7	+0.1	-0.3	-0.8	+4.8	+0.10	+3	+0.34	+0.80	+0.98	F 	R 	F 	R 			Temp
Acc	70%	71%	70%	71%	61%	74%	62%	78%	67%	67%	66%	6	5	6	6	5	6	2
Perc	62	81	47	51	95	7	36	97	1	15	37							

Traits Observed: BWT,Genomics

A thick easy doing Te Mania R1095 son out of a Beast Mode dam. Top 1% claw, top 7% IMF..

A thick easy doing Te Mania R1095 son out of a Beast Mode dam. Top 1% claw, top 7% IMF..

Purchaser:.....\$:.....

LOT 34

KUNUMA UNREAL U162^{PV}

HBR

Date of Birth: 02/09/2023

Mating Type: AI

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL23U162

MILWILLAH REALITY K12^{PV}

MATAURI REALITY 839[#]

KUNUMA BEASTY BOY Q98^{SV}

BALDRIDGE BEAST MODE B074^{PV}

MILWILLAH BARUNAH H8^{SV}

KUNUMA L56[#]

Sire: NENN278 KAROO K12 REALIST N278^{SV}

Dam: NOL21S54 KUNUMA S54^{SV}

KAROO DORIS F42[#]

ARDROSSAN EQUATOR A241^{PV}


KUNUMA Q85[#]


RENNYLEA L452^{PV}

KAROO DORIS Y137^{SV}

KUNUMA QUIET H128[#]

Mid July 2025 TransTasman Angus Cattle Evaluation







	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	-3.8	+6.0	-5.5	+6.2	+63	+101	+140	+147	+6	+2.0	-4.8
Acc	57%	48%	70%	73%	73%	71%	72%	69%	76%	80%	42%
Perc	90	23	34	90	10	27	15	5	99	55	49

	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+76	+4.9	-0.2	+0.6	-0.5	+2.7	+0.31	+29	+0.86	+0.88	+1.04
Acc	70%	70%	70%	71%	61%	74%	61%	78%	67%	67%	65%
Perc	29	69	54	35	89	41	59	21	55	30	55

Selection Indexes

\$A	\$D	\$GN	\$GS
\$192	\$148	\$259	\$176
67	78	63	66

Raw Structural Data

F	R	F	R			Temp
						
6	5	6	6	5	6	1

Traits Observed: BWT,400WT,DOC,Genomics

A great cow bull from Karoo Realist who has exceptional growth data. Top 15% growth, top 5% MCW..

Purchaser:.....\$:.....

LOT 35

KUNUMA U107^{SV}

APR

Date of Birth: 31/08/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DD25%,NHFU

Animal ID: NOL23U107

MILWILLAH NAPA N498^{PV}

MATAURI REALITY 839[#]

PARINGA MONARCH M103^{PV}

PARINGA JUDD J5^{PV}

MILWILLAH BARUNAH H224[#]

LAWSONS BARTEL E7 J1290[#]

Sire: NJWR405 MILWILLAH NAPA R405^{SV}

Dam: NOLQ50 KUNUMA Q50[#]

MILWILLAH MITTAGONG L36[#]

TUWHARETOA REGENT D145^{PV}


KUNUMA N156[#]


RENNYLEA L452^{PV}

MILWILLAH MITTAGONG D61^{SV}

KUNUMA L1[#]

Mid July 2025 TransTasman Angus Cattle Evaluation







	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+6.1	+6.9	-0.6	+1.9	+35	+69	+95	+97	+15	-0.4	-2.7
Acc	57%	48%	70%	73%	73%	71%	72%	69%	74%	78%	40%
Perc	21	15	95	13	98	97	92	59	67	99	89

	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+46	+6.8	+3.4	+4.4	-0.4	+4.8	+0.32	+10	+0.36	+0.70	+1.00
Acc	69%	69%	68%	70%	58%	74%	61%	75%	60%	61%	59%
Perc	95	45	4	3	86	7	60	87	1	5	43

Selection Indexes

\$A	\$D	\$GN	\$GS
\$168	\$118	\$242	\$151
86	95	75	85

Raw Structural Data

F	R	F	R			Temp
						
6	6	6	6	5	5	2

Traits Observed: BWT,400WT,DOC,Genomics

An excellent heifer bull out of Milwillah R405 who is free moving and easy doing. Top 13% BWT, top 3% fats, top 7% IMF, top 5% claw..

Purchaser:.....\$:.....

LOT 36

KUNUMA U169^{PV}

HBR

Date of Birth: 02/09/2023

Mating Type: AI

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL23U169

TE MANIA PERU P1164^{SV}

TE MANIA KIRBY K138^{PV}

RENNYLEA N542^{PV}

H P C A INTENSITY[#]

TE MANIA BARUNAH J1187[#]

RENNYLEA EISA ERICA G366^{SV}

Sire: VTMR1095 TE MANIA RHYNIE R1095^{PV}

Dam: NOL21S81 KUNUMA S81^{SV}

TE MANIA JAPARA P1513^{SV}

TE MANIA 15380^{SV}


KUNUMA M130[#]


KUNUMA J163^{SV}

TE MANIA JAPARA L434[#]

KUNUMA G51[#]

Mid July 2025 TransTasman Angus Cattle Evaluation







	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+7.6	+7.6	-1.3	+3.0	+44	+81	+105	+53	+28	+2.0	-6.1
Acc	57%	48%	70%	73%	73%	71%	72%	69%	74%	80%	42%
Perc	11	10	91	30	83	83	80	98	2	55	22

	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+55	+3.0	+4.8	+6.1	-1.5	+4.7	+0.44	+16	+0.32	+0.92	+1.08
Acc	70%	71%	70%	71%	61%	74%	62%	78%	69%	69%	68%
Perc	84	86	1	1	99	8	72	69	1	39	68

Selection Indexes

\$A	\$D	\$GN	\$GS
\$233	\$179	\$325	\$220
22	39	13	20

Raw Structural Data

F	R	F	R			Temp
						
5	5	5	5	5	5	1

Traits Observed: BWT,400WT,DOC,Genomics

This bull is bred to perform! Te Mania R1095 out of a Rennylea N542 dam. Top 30% BWT, top 2% milk, top 1% fats, top 8% IMF, top 1% claw. Suitable for heifers.

Purchaser:.....\$:.....

Top 5%

Top 10%

Top 30%

LOT 37

KUNUMA U165^{PV}

HBR

Date of Birth: 17/09/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DD13%,NHFU

Animal ID: NOL23U165

TEXAS POWERPLAY P613^{PV}

AYRVALE HERCULES H9^{PV}

KUNUMA BEASTY BOY Q98^{SV}

BALDRIDGE BEAST MODE B074^{PV}

TEXAS UNDINE H647^{PV}

KUNUMA L56[#]

Sire: NOL21S47 KUNUMA S47^{SV}

Dam: NOL21S95 KUNUMA S95^{SV}

KUNUMA G95[#]

KUNUMA C36^{SV}

KUNUMA P108[#]

PARINGA MONARCH M103^{PV}

KUNUMA Z166[#]

KUNUMA M145[#]

Mid July 2025 TransTasman Angus Cattle Evaluation												Selection Indexes			
TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC	\$A	\$D	\$GN	\$GS
EBVs	+1.6	+9.1	-9.0	+2.7	+53	+86	+130	+120	+18	+2.2	-3.2	\$178	\$125	\$238	\$163
Acc	57%	48%	70%	73%	73%	71%	72%	69%	73%	77%	38%	80	93	77	77
Perc	61	4	4	24	42	72	29	24	44	47	83				
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	Raw Structural Data			
EBVs	+66	+6.3	-2.0	-2.0	+0.3	+2.7	+0.10	+14	+1.08	+0.98	+0.96	F	R	F	R
Acc	68%	68%	67%	68%	57%	73%	60%	74%	64%	64%	61%	6	6	6	6
Perc	58	51	88	78	53	41	36	76	90	54	31	5	5	5	5

Traits Observed: BWT,400WT,DOC,Genomics

A Kunuma S47 son who is easy fleshing with a great top line. Top 4% GL, top 30% 600 days. Suitable for heifers.

Purchaser:.....\$:

LOT 38

KUNUMA U190^{SV}

APR

Date of Birth: 05/09/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DD3%,NHFU

Animal ID: NOL23U190

TEXAS POWERPLAY P613^{PV}

AYRVALE HERCULES H9^{PV}

RENNYLEA L452^{PV}

G A R PROPHET^{SV}

TEXAS UNDINE H647^{PV}

RENNYLEA E5^{PV}

Sire: NOL21S173 KUNUMA S173^{SV}

Dam: NOLQ133 KUNUMA Q133[#]

KUNUMA H163[#]

TUWHARETOA A49^{PV}

KUNUMA K7[#]

CARABAR DOCKLANDS D62^{PV}

KUNUMA E7[#]

KUNUMA H65[#]

Mid July 2025 TransTasman Angus Cattle Evaluation												Selection Indexes			
TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC	\$A	\$D	\$GN	\$GS
EBVs	+7.0	+4.8	-0.7	+2.8	+47	+84	+110	+58	+32	+1.6	-7.2	\$261	\$202	\$360	\$250
Acc	57%	48%	70%	73%	73%	71%	72%	69%	72%	77%	39%	5	14	3	5
Perc	14	35	94	26	72	76	73	96	1	70	8				
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	Raw Structural Data			
EBVs	+74	+7.7	+1.1	+0.4	-0.5	+5.9	+0.77	+15	+0.80	+0.78	+1.10	F	R	F	R
Acc	68%	67%	67%	68%	57%	73%	60%	74%	61%	61%	60%	6	6	6	6
Perc	34	35	26	39	89	2	93	74	42	12	73	5	5	5	5

Traits Observed: BWT,400WT,Genomics

A framey and attractive Kunuma S173 son out of a Rennylea granddaughter. Top 25% BWT, top 1% milk, top 8% DTC, top 2% IMF. Suitable for heifers.

Purchaser:.....\$:

LOT 39

KUNUMA U99^{SV}

HBR

Date of Birth: 13/09/2023

Mating Type: Natural

Genetic Conditions: AM3%,CAFU,DDFU,NHFU

Animal ID: NOL23U99

MILWILLAH NAPA N498^{PV}

MATAURI REALITY 839[#]

KUNUMA KAIN K8^{SV}

CARABAR DOCKLANDS D62^{PV}

MILWILLAH BARUNAH H224[#]

KUNUMA G54[#]

Sire: NJWR405 MILWILLAH NAPA R405^{SV}

Dam: NOLN5 KUNUMA N5[#]

MILWILLAH MITTAGONG L36[#]

TUWHARETOA REGENT D145^{PV}

KUNUMA D43[#]

BT EQUATOR 395M[#]

MILWILLAH MITTAGONG D61^{SV}

KUNUMA A201[#]

Mid July 2025 TransTasman Angus Cattle Evaluation												Selection Indexes			
TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC	\$A	\$D	\$GN	\$GS
EBVs	+4.7	+2.7	-7.5	+2.9	+35	+70	+90	+82	+20	-0.4	-3.7	\$150	\$121	\$201	\$129
Acc	57%	48%	70%	73%	73%	71%	72%	69%	73%	77%	39%	93	94	92	94
Perc	33	58	12	28	98	96	95	80	31	99	74				
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	Raw Structural Data			
EBVs	+43	+0.9	+2.6	+1.8	+0.2	+2.4	+0.40	+7	+0.06	+0.74	+0.90	F	R	F	R
Acc	68%	68%	67%	69%	57%	73%	60%	74%	63%	64%	60%	6	5	6	6
Perc	97	96	8	19	59	48	68	94	1	8	17	5	5	5	5

Traits Observed: BWT,400WT,DOC,Genomics

A Thick and meaty Milwillah R405 son who has plenty of depth. Top 12% GL, top 30% milk, top 8% fats, top 15% claw. Suitable for heifers.

Purchaser:.....\$:

LOT 40

KUNUMA U42^{SV}

APR

Date of Birth: 19/09/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DD10%,NHFU

Animal ID: NOL23U42

TE MANIA PERU P1164^{SV}

TE MANIA KIRBY K138^{PV}

KELLY ANGUS KODAK P191^{PV}

RENNYLEA KODAK K522^{SV}

TE MANIA BARUNAH J1187[#]

KELLY ANGUS PROPHET M26^{SV}

Sire: VTMR1095 TE MANIA RHYNIE R1095^{PV}

Dam: NOLR59 KUNUMA R59[#]

TE MANIA JAPARA P1513^{SV}

TE MANIA 15380^{SV}

KUNUMA G28[#]

KUNUMA E129^{SV}

TE MANIA JAPARA L434[#]

KUNUMA E7[#]

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+4.2	-1.6	+0.7	+3.2	+37	+69	+91	+49	+23	+3.3	-5.5
Acc	57%	48%	70%	73%	73%	71%	72%	69%	73%	79%	40%
Perc	37	88	98	33	96	97	95	98	12	15	33

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+40	+5.3	+1.9	+2.0	-0.8	+4.6	+1.20	+18	+0.48	+0.66	+1.08
Acc	69%	70%	69%	70%	61%	74%	61%	77%	66%	66%	65%
Perc	98	64	15	16	95	9	99	62	3	3	68

Selection Indexes

\$A	\$D	\$GN	\$GS
\$189	\$143	\$259	\$176
70	82	63	66

Raw Structural Data

F	R	F	R			Temp
6	5	5	5	5	5	2

Traits Observed: BWT,400WT,DOC,Genomics

High marbling, moderate, easy doing Te Mania R1095 son who is suitable for heifers. Top 30% BWT, top 12% milk, top 15% SS, top 15% fats, top 9% IMF, top 3% claw.

Purchaser:.....\$:

LOT 41

KUNUMA U43^{SV}

APR

Date of Birth: 22/09/2023

Mating Type: Natural

Genetic Conditions: AM1%,CAFU,DDFU,NHFU

Animal ID: NOL23U43

E W A PEYTON 642^{PV}

QUAKER HILL MANNING 4EX9[#]

KUNUMA N88^{SV}

AYRVALE BARTEL E7^{PV}

E W A 444 OF 968 PROGRESS[#]

KUNUMA F69[#]

Sire: NOLR49 KUNUMA ROBBIE R49^{SV}

Dam: NOLQ65 KUNUMA Q65[#]

KUNUMA J121[#]

TUWHARETOA A49^{PV}

KUNUMA N14[#]

KUNUMA KAIN K8^{SV}

KUNUMA E27[#]

KUNUMA H38[#]

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+5.2	+2.6	-0.8	+4.4	+66	+113	+146	+100	+28	+3.9	-3.9
Acc	57%	48%	70%	73%	73%	71%	72%	69%	72%	77%	35%
Perc	28	59	94	61	5	8	9	53	3	7	70

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+88	+9.8	-1.4	-2.0	+0.4	+3.7	+0.46	+17	+0.82	+1.00	+1.14
Acc	67%	67%	66%	68%	56%	72%	59%	73%	63%	63%	57%
Perc	8	16	79	78	47	21	74	64	47	59	82

Selection Indexes

\$A	\$D	\$GN	\$GS
\$266	\$213	\$366	\$252
4	8	2	4

Raw Structural Data

F	R	F	R			Temp
6	6	6	6	5	5	2

Traits Observed: BWT,400WT,DOC,Genomics

An upstanding, free moving Kunuma R49 son who has great birth to growth spread. Top 5% growth, top 3% milk, top 7% SS, top 8% CWT, top 20% IMF..

Purchaser:.....\$:

LOT 42

KUNUMA U8^{SV}

HBR

Date of Birth: 13/09/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL23U8

RENNYLEA N542^{PV}

H P C A INTENSITY[#]

RENNYLEA L452^{PV}

G A R PROPHET^{SV}

RENNYLEA EISA ERICA G366^{SV}

RENNYLEA E5^{PV}

Sire: NOL21S149 KUNUMA S149^{SV}

Dam: NOLQ90 KUNUMA Q90[#]

KUNUMA J109[#]

TUWHARETOA A49^{PV}

KUNUMA QUAINLY J152[#]

BT RIGHT TIME 24J[#]

KUNUMA B44[#]

KUNUMA F96[#]

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+0.1	-4.3	-4.5	+3.9	+55	+103	+131	+140	+10	+1.7	-4.0
Acc	57%	48%	70%	73%	73%	71%	72%	69%	73%	77%	39%
Perc	72	96	50	49	34	23	28	8	92	66	68

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+59	+8.2	-0.9	-2.2	+0.7	+2.5	+0.10	+20	+0.90	+0.94	+1.06
Acc	68%	68%	67%	69%	57%	73%	60%	74%	64%	64%	60%
Perc	77	29	70	81	30	46	36	52	63	44	62

Selection Indexes

\$A	\$D	\$GN	\$GS
\$187	\$157	\$248	\$168
73	68	71	73

Raw Structural Data

F	R	F	R			Temp
5	6	6	6	4	5	2

Traits Observed: BWT,400WT,DOC,Genomics

Another stylish Kunuma S149 son out of a proven 24J cow. Top 20% growth, top 8% MCW, top 30% RBY. Suitable for heifers.

Purchaser:.....\$:

LOT 43

KUNUMA U4^{SV}

APR

Date of Birth: 01/09/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL23U4

TEXAS POWERPLAY P613^{PV}

AYRVALE HERCULES H9^{PV}

RENNYLEA L454^{PV}

G A R PROPHET^{SV}

TEXAS UNDINE H647^{PV}

RENNYLEA E5^{PV}

Sire: NOL21S173 KUNUMA S173^{SV}

Dam: NOLQ96 KUNUMA Q96[#]

KUNUMA H163[#]

TUWHARETOA A49^{PV}

KUNUMA L133[#]

KUNUMA H14^{SV}

KUNUMA E7[#]

KUNUMA F19[#]

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+8.4	+8.0	-1.4	+1.7	+44	+73	+103	+72	+21	+2.4	-5.4
Acc	57%	48%	70%	73%	73%	71%	72%	69%	73%	77%	38%
Perc	7	8	90	11	81	94	83	89	21	40	35

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+67	+4.5	+3.3	+0.9	-0.9	+5.3	+0.34	+40	+0.66	+1.06	+1.08
Acc	68%	68%	67%	69%	58%	73%	60%	74%	59%	59%	57%
Perc	54	73	4	30	96	4	62	4	17	72	68

Selection Indexes

\$A	\$D	\$GN	\$GS
\$207	\$149	\$287	\$194
51	76	39	47

Raw Structural Data

F	R	F	R			Temp
5	5	6	6	5	5	1

Traits Observed: BWT,400WT,DOC,Genomics

A super quiet Kunuma S173 son who is long and slick coated. Top 11% BWT, top 20% milk, top 4% fats, top 4% IMF. Suitable for heifers.

Purchaser:.....

\$:.....

LOT 44

KUNUMA U112^{SV}

APR

Date of Birth: 14/09/2023

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL23U112

MILWILLAH NAPA N498^{PV}

MATAURI REALITY 839[#]

KUNUMA H14^{SV}

BT RIGHT TIME 24J[#]

MILWILLAH BARUNAH H224[#]

KUNUMA E23[#]

Sire: NJWR405 MILWILLAH NAPA R405^{SV}

Dam: NOLL163 KUNUMA L163[#]

MILWILLAH MITTAGONG L36[#]

TUWHARETOA REGENT D145^{PV}

KUNUMA G29[#]

KUNUMA E129^{SV}

MILWILLAH MITTAGONG D61^{SV}

KUNUMA E5[#]

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+4.3	-1.9	-1.9	+6.3	+49	+86	+119	+105	+10	+2.0	-3.8
Acc	57%	48%	70%	73%	73%	71%	72%	69%	73%	78%	39%
Perc	37	89	86	91	61	73	53	45	92	55	72

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+66	+3.5	+1.8	+2.3	+0.1	+1.4	+0.40	+11	+0.66	+0.98	+1.04
Acc	69%	68%	68%	69%	57%	73%	60%	75%	60%	61%	59%
Perc	59	82	16	14	65	74	68	85	17	54	55

Selection Indexes

\$A	\$D	\$GN	\$GS
\$175	\$138	\$228	\$160
81	85	83	80

Raw Structural Data

F	R	F	R			Temp
6	5	5	6	5	5	2

Traits Observed: BWT,400WT,DOC,Genomics

This Milwillah R405 son is a big upstanding cow bull. Top 15% fats, top 15% claw..

Purchaser:.....

\$:.....

LOT 45

KUNUMA U7^{PV}

APR

Date of Birth: 23/09/2023

Mating Type: Natural

Genetic Conditions: AM1%,CAFU,DD3%,NHFU

Animal ID: NOL23U7

TEXAS POWERPLAY P613^{PV}

AYRVALE HERCULES H9^{PV}

KUNUMA MITCH M22^{SV}

PA FULL POWER 1208^{PV}

TEXAS UNDINE H647^{PV}

KUNUMA K133[#]

Sire: NOL21S173 KUNUMA S173^{SV}

Dam: NOLP69 KUNUMA P69^{SV}

KUNUMA H163[#]

TUWHARETOA A49^{PV}

KUNUMA G25[#]

KUNUMA E129^{SV}

KUNUMA E7[#]

KUNUMA E108[#]

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+7.6	+7.7	-3.1	+2.8	+44	+84	+112	+71	+19	+2.9	-5.6
Acc	57%	48%	70%	73%	73%	71%	72%	69%	74%	79%	39%
Perc	11	10	72	26	84	77	69	90	32	24	31

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+70	+12.8	+0.7	+0.9	+0.7	+3.5	+0.89	+12	+0.98	+1.22	+1.22
Acc	70%	69%	69%	70%	59%	74%	61%	76%	57%	57%	54%
Perc	46	4	34	30	30	24	96	83	77	94	94

Selection Indexes

\$A	\$D	\$GN	\$GS
\$246	\$196	\$319	\$236
12	19	16	10

Raw Structural Data

F	R	F	R			Temp
6	6	5	5	5	5	2

Traits Observed: BWT,400WT,DOC,Genomics

A Kunuma S173 son who is easy fleshing, framey and attractive. Top 25% BWT, top 30% milk, top 30% DTC, top 4% EMA, top 25% IMF. Suitable for heifers.

Purchaser:.....

\$:.....

Understanding the TransTasman Angus Cattle Evaluation (TACE)

What is the TransTasman Angus Cattle Evaluation?

The TransTasman Angus Cattle Evaluation is the genetic evaluation program adopted by Angus Australia for Angus and Angus influenced beef cattle. The TransTasman Angus Cattle Evaluation uses Best Linear Unbiased Prediction (BLUP) technology to produce Estimated Breeding Values (EBVs) of recorded cattle for a range of important production traits (e.g. weight, carcase, fertility).

The TransTasman Angus Cattle Evaluation is an international genetic evaluation and includes pedigree, performance and genomic information from the Angus Australia and Angus New Zealand databases, along with selected information from the American and Canadian Angus Associations.

The TransTasman Angus Cattle Evaluation utilises a range of genetic evaluation software, including the internationally recognised BLUPF90 family of programs, and BREEDPLAN® beef genetic evaluation analytical software, as developed by the Animal Genetics and Breeding Unit (AGBU), a joint institute of NSW Agriculture and the University of New England, and Meat and Livestock Australia Limited (MLA).

What is an EBV?

An animal's breeding value can be defined as its genetic merit for each trait. While it is not possible to determine an animal's true breeding value, it is possible to estimate it. These estimates of an animal's true breeding value are called EBVs (Estimated Breeding Values).

EBVs are expressed as the difference between an individual animal's genetics and a historical genetic level (i.e. group of animals) within the TACE genetic evaluation, and are reported in the units in which the measurements are taken.

Using EBVs to Compare the Genetics of Two Animals

TACE EBVs can be used to estimate the expected difference in the genetics of two animals, with the expected difference equating to half the difference in the EBVs of the animals, all other things being equal (e.g. they are joined to the same animal/s).

For example, a bull with a 200 Day Growth EBV of +60 would be expected to produce progeny that are, on average, 10 kg heavier at 200 days of age than a bull with a 200 Day Growth EBV of +40 kg (i.e. 20

kg difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Or similarly, a bull with an IMF EBV of +3.0 would be expected to produce progeny with on average, 1% more intramuscular fat in a 400 kg carcase than a bull with a IMF EBV of +1.0 (i.e. 2% difference between the sire's EBVs, then halved as the sire only contributes half the genetics).

Using EBVs to Benchmark an Animal's Genetics with the Breed

EBVs can also be used to benchmark an animal's genetics relative to the genetics of other Angus or Angus infused animals recorded with Angus Australia.

To benchmark an animal's genetics relative to other Angus animals, an animal's EBV can be compared to the EBV reference tables, which provide:

- the breed average EBV
- the percentile bands table

The current breed average EBV is listed on the bottom of each page in this publication, while the current EBV reference tables are included at the end of these introductory notes.

For easy reference, the percentile band in which an animal's EBV ranks is also published in association with the EBV.

Considering Accuracy

An accuracy value is published with each EBV, and is usually displayed as a percentage value immediately below the EBV.

The accuracy value provides an indication of the reliability of the EBV in estimating the animal's genetics (or true breeding value), and is an indication of the amount of information that has been used in the calculation of the EBV.

EBVs with accuracy values below 50% should be considered as preliminary or of low accuracy, 50-74% as of medium accuracy, 75-90% of medium to high accuracy, and 90% or greater as high accuracy.

Description of TACE EBVs

EBVs are calculated for a range of traits within TACE, covering calving ease, growth, fertility, maternal performance, carcase merit, feed efficiency and structural soundness. A description of each EBV included in this publication is provided on the following page.

UNDERSTANDING ESTIMATED BREEDING VALUES (EBVS)

Calving Ease/Birth	CEDir	%	Genetic differences in the ability of a sire's calves to be born unassisted from 2 year old heifers.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	CEDtrs	%	Genetic differences in the ability of a sire's daughters to calve unassisted at 2 years of age.	Higher EBVs indicate fewer calving difficulties in 2 year old heifers.
	GL	days	Genetic differences between animals in the length of time from the date of conception to the birth of the calf.	Lower EBVs indicate shorter gestation length.
	BW	kg	Genetic differences between animals in calf weight at birth.	Lower EBVs indicate lighter birth weight.
Growth	200 Day	kg	Genetic differences between animals in live weight at 200 days of age due to genetics for growth.	Higher EBVs indicate heavier live weight.
	400 Day	kg	Genetic differences between animals in live weight at 400 days of age.	Higher EBVs indicate heavier live weight.
	600 Day	kg	Genetic differences between animals in live weight at 600 days of age.	Higher EBVs indicate heavier live weight.
Maternal	MCH	cm	Genetic differences between animals in the height of mature females.	Higher EBVs indicate taller mature females.
	MBC	score	Genetic differences between animals in the body condition of mature females.	Higher EBVs indicate more body condition of mature females.
	MCW	kg	Genetic differences between animals in live weight of cows at 5 years of age.	Higher EBVs indicate heavier mature weight.
	Milk	kg	Genetic differences between animals in live weight at 200 days of age due to the maternal contribution of its dam.	Higher EBVs indicate heavier live weight.
Fertility	DtC	days	Genetic differences between animals in the time from the start of the joining period (i.e. when the female is introduced to a bull) until subsequent calving.	Lower EBVs indicate shorter time to calving.
	SS	cm	Genetic differences between animals in scrotal circumference at 400 days of age.	Higher EBVs indicate larger scrotal circumference.
Carcase	CWT	kg	Genetic differences between animals in hot standard carcase weight at 750 days of age.	Higher EBVs indicate heavier carcase weight.
	EMA	cm ²	Genetic differences between animals in eye muscle area at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate larger eye muscle area.
	Rib Fat	mm	Genetic differences between animals in fat depth at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more fat.
	P8 Fat	mm	Genetic differences between animals in fat depth at the P8 rump site in a 400 kg carcase.	Higher EBVs indicate more fat.
	RBY	%	Genetic differences between animals in boned out saleable meat from a 400 kg carcase.	Higher EBVs indicate higher yield.
	IMF	%	Genetic differences between animals in intramuscular fat (marbling) at the 12/13th rib site in a 400 kg carcase.	Higher EBVs indicate more intramuscular fat.
Feed/Temp.	NFI-F	kg/day	Genetic differences between animals in feed intake at a standard weight and rate of weight gain when animals are in a feedlot finishing phase.	Lower EBVs indicate more feed efficiency.
	Doc	%	Genetic differences between animals in temperament.	Higher EBVs indicate better temperament.
Structure	Claw Set	score	Genetic differences in claw set structure (shape and evenness of claws).	Lower EBVs indicate less curl of the claw set.
	Foot Angle	score	Genetic differences in foot angle (strength of pastern, depth of heel).	Lower EBVs indicate more heel depth.
	Leg Angle	score	Genetic differences in rear leg structure when viewed from the side (angle at front of the hock).	Lower EBVs indicate a less angular leg angle.
Selection Index	\$A	\$	Genetic differences between animals in net profitability per cow joined in a typical commercial self replacing herd using Angus bulls. This selection index is not specific to a particular market end-point, but identifies animals that will improve overall net profitability in the majority of commercial, self replacing, grass and grain finishing beef production systems.	Higher selection indexes indicate greater profitability.
	\$A-L	\$	The \$A-L index is similar to the \$A index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low. While the \$A aims to maintain mature cow weight, the \$A-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.	Higher selection indexes indicate greater profitability.

UNDERSTANDING ESTIMATED BREEDING VALUES (EBVS)

Selection Indexes	\$D	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting the domestic supermarket trade. Steers are either finished using pasture, pasture supplemented by grain, or grain (e.g. 50 -70 days) with steers assumed to be slaughtered at 510kg live weight (280kg carcass weight with 12mm P8 fat depth) at 16 months of age.	Higher selection indexes indicate greater profitability.
	\$D-L	\$	<p>The \$D-L index is similar to the \$D index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low.</p> <p>While the \$D aims to maintain mature cow weight, the \$D-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.</p>	Higher selection indexes indicate greater profitability.
	\$GN	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture grown steers with a 250 day feedlot finishing period for the grain fed high quality, highly marbled markets. Steers are assumed to be slaughtered at 800 kg live weight (455 kg carcass weight with 30 mm P8 fat depth) at 24 months of age, with a significant premium for steers that exhibit superior marbling.	Higher selection indexes indicate greater profitability.
	\$GN-L	\$	<p>The \$GN-L index is similar to the \$GN index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low.</p> <p>While the \$GN aims to maintain mature cow weight, the \$GN-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.</p>	Higher selection indexes indicate greater profitability.
	\$GS	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd targeting pasture finished steers. Steers are assumed to be slaughtered at 650 kg live weight (350 kg carcass weight with 12 mm P8 fat depth) at 22 months of age. Emphasis has been placed on eating quality and tenderness to favour animals that are suited to MSA requirements.	Higher selection indexes indicate greater profitability.
	\$GS-L	\$	<p>The \$GS-L index is similar to the \$GS index but is modelled on a production system where feed is surplus to requirements for the majority of the year, or the cost of supplying additional feed when animal feed requirements increase is low.</p> <p>While the \$GS aims to maintain mature cow weight, the \$GS-L does not aim to limit the increase in mature cow weight as there is minimal cost incurred if the feed maintenance requirements of the female breeding herd increase as a result of selection decisions.</p>	Higher selection indexes indicate greater profitability.
	\$PRO	\$	Genetic differences between animals in net profitability per cow joined in a commercial self replacing herd based in New Zealand that targets the production of grass finished steers for the AngusPure programme. Steers are assumed marketed at approximately 530 kg live weight (290 kg carcass weight with 10 mm P8 fat depth) at 20 months of age, with a significant premium for steers that exhibit superior marbling.	Higher selection indexes indicate greater profitability.
	\$T	\$	Genetic difference between animals in net profitability per cow joined in a situation where Angus bulls are being used as a terminal sire over mature breeding females and all progeny, both male and female, are slaughtered. The Angus Terminal Sire Index focusses on increasing growth, carcass yield and eating quality. Daughters are not retained for breeding and therefore no emphasis is given to female fertility or maternal traits.	Higher selection indexes indicate greater profitability.

Reference Sire

KAROO K12 REALIST N278^{SV}

HBR

Date of Birth: 01/09/2017

Mating Type: Natural

Genetic Conditions: AMF,CAF,DDF,NHF

Animal ID: NENN278

MATAURI REALITY 839[#]

SCHURRTOP REALITY X723[#]
MATAURI 06663[#]

ARDROSSAN EQUATOR A241^{PV}

PAPA EQUATOR 2928[#]
ARDROSSAN PRINCESS W38^{PV}

Sire: NJWK12 MILWILLAH REALITY K12^{PV}

Dam: NENF42 KAROO DORIS F42[#]

MILWILLAH BARUNAH H8^{SV}

COONAMBLE ELEVATOR E11^{PV}
MILWILLAH BARUNAH A44[#]

KAROO DORIS Y137^{SV}

THREE TREES ROCK ON 0059[#]
KAROO FLATS DORIS V96[#]

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+3.1	+9.7	-7.3	+3.9	+54	+94	+125	+123	+5	+2.4	-5.9
Acc	57%	48%	70%	73%	73%	71%	72%	69%	93%	97%	60%
Perc	48	2	13	49	40	49	40	20	99	40	25

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+82	+6.1	-0.8	+1.2	+0.1	+2.7	+0.64	+22	+0.56	+0.68	+0.82
Acc	89%	88%	88%	88%	83%	87%	72%	98%	95%	95%	92%
Perc	17	54	68	26	65	41	87	44	7	4	6

Selection Indexes

\$A	\$D	\$GN	\$GS
\$219	\$181	\$281	\$205
37	37	44	34

Traits Observed: BWT,200WT,400WT,600WT,SC,S-can(EMA,Rib,Rump,IMF),Genomics

Statistics: Number of Herds: Number of Herds: 66, Prog Analysed: 1303, Genomic Prog: 795

Reference Sire

KUNUMA POWERPLAY S57^{SV}

HBR

Date of Birth: 09/09/2021

Mating Type: AI

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL21S57

AYRVALE HERCULES H9^{PV}

AYRVALE BARTEL E7^{PV}
LAWSONS INVINCIBLE F338^{SV}

BALDRIDGE BEAST MODE B074^{PV}

G A R PROPHET^{SV}
BALDRIDGE ISABEL Y69[#]

Sire: DXTP613 TEXAS POWERPLAY P613^{PV}

Dam: NOLQ95 KUNUMA Q95[#]

TEXAS UNDINE H647^{PV}

BANGADANG WESTERN EXPRESS E10^{SV}
TEXAS UNDINE Z183^{PV}

KUNUMA G95[#]

KUNUMA C36^{SV}
KUNUMA Z166[#]

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+10.3	+9.7	-7.6	-1.7	+32	+61	+78	+45	+19	-1.9	-3.5
Acc	57%	48%	70%	73%	73%	71%	72%	69%	74%	79%	44%
Perc	2	2	11	1	99	99	99	99	32	99	78

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+52	+6.1	+5.6	+6.5	-0.6	+2.3	+0.23	+13	+0.84	+0.68	+0.62
Acc	73%	69%	70%	70%	61%	74%	61%	77%	67%	67%	65%
Perc	90	54	1	1	91	51	50	81	51	4	1

Selection Indexes

\$A	\$D	\$GN	\$GS
\$176	\$132	\$248	\$152
81	89	71	85

Traits Observed: BWT,Genomics

Statistics: Number of Herds: Number of Herds: 1, Prog Analysed: 16, Genomic Prog: 8

Reference Sire

KUNUMA ROBBIE R49^{SV}

HBR

Date of Birth: 09/09/2020

Mating Type: AI

Genetic Conditions: AM1%,CAFU,DDFU,NHFU

Animal ID: NOLR49

QUAKER HILL MANNING 4EX9[#]

EXAR DENVER 2002B[#]
QUAKER HILL BLACKCAP 0A32[#]

TUWHARETOA A49^{PV}

ARDROSSAN CONNECTION X15^{SV}
TUWHARETOA Y144[#]

Sire: USA18675107 E W A PEYTON 642^{PV}

Dam: NOLJ121 KUNUMA J121[#]

E W A 444 OF 968 PROGRESS[#]

G A R PROGRESS^{SV}
EDGEWOOD LADY 968[#]

KUNUMA E27[#]

KUNUMA A027^{SV}
KUNUMA B5[#]

Mid July 2025 TransTasman Angus Cattle Evaluation

TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+2.9	+3.0	-0.1	+4.0	+64	+105	+125	+107	+12	+1.1	-2.5
Acc	57%	48%	70%	73%	73%	71%	72%	69%	74%	78%	38%
Perc	50	55	96	52	7	20	40	43	85	84	91

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+84	+4.6	+1.8	-0.4	-0.2	+1.9	+0.26	+2	+0.84	+0.98	+1.08
Acc	72%	69%	69%	70%	60%	74%	60%	75%	69%	69%	57%
Perc	13	72	16	52	79	61	53	98	51	54	68

Selection Indexes

\$A	\$D	\$GN	\$GS
\$208	\$175	\$291	\$181
50	44	35	61

Traits Observed: BWT,400WT,Genomics

Statistics: Number of Herds: Number of Herds: 1, Prog Analysed: 45, Genomic Prog: 33

Reference Sire

KUNUMA S149^{SV}

HBR

Date of Birth: 03/10/2021

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU

Animal ID: NOL21S149

H P C A INTENSITY[#]

G A R INGENUITY[#]

TUWHARETOA A49^{PV}

ARDROSSAN CONNECTION X15^{SV}

G A R PREDESTINED 287L[#]

TUWHARETOA Y144[#]

Sire: NORN542 RENNYLEA N542^{PV}

Dam: NOLJ109 KUNUMA J109[#]

RENNYLEA EISA ERICA G366^{SV}

TE MANIA AFRICA A217^{PV}

KUNUMA B44[#]

CLUNIE RANGE VENTURA V20[#]

RENNYLEA EISA ERICA X571[#]

KUNUMA Y76[#]

Mid July 2025 TransTasman Angus Cattle Evaluation												Selection Indexes			
TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC	\$A	\$D	\$GN	\$GS
EBVs	+8.0	+5.3	-2.9	+1.8	+42	+81	+105	+87	+19	+2.1	-8.3	\$223	\$184	\$288	\$210
Acc	57%	48%	70%	73%	73%	71%	72%	69%	76%	79%	46%	32	33	38	29
Perc	9	30	75	12	89	84	80	73	33	51	3				
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	Traits Observed: BWT,Genomics			
EBVs	+50	+3.8	+1.4	+2.2	-0.4	+4.0	+0.87	+21	+0.42	+0.78	+1.06	Statistics: Number of Herds: Number of Herds: 1, Prog Analysed: 62, Genomic Prog: 16			
Acc	74%	70%	71%	72%	63%	75%	62%	78%	68%	69%	67%				
Perc	91	80	21	14	86	16	95	49	2	12	62				

Reference Sire

KUNUMA S173^{SV}

APR

Date of Birth: 23/10/2021

Mating Type: AI

Genetic Conditions: AMF,CAF,DDF,NHF

Animal ID: NOL21S173

AYRVALE HERCULES H9^{PV}

AYRVALE BARTEL E7^{PV}

TUWHARETOA A49^{PV}

ARDROSSAN CONNECTION X15^{SV}

LAWSONS INVINCIBLE F338^{SV}

TUWHARETOA Y144[#]

Sire: DXTP613 TEXAS POWERPLAY P613^{PV}

Dam: NOLH163 KUNUMA H163[#]

TEXAS UNDINE H647^{PV}

BANGADANG WESTERN EXPRESS E10^{SV}

KUNUMA E7[#]

LAWSONS DINKY-DI Z191^{SV}

TEXAS UNDINE Z183^{PV}

KUNUMA C5[#]

Mid July 2025 TransTasman Angus Cattle Evaluation												Selection Indexes			
TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC	\$A	\$D	\$GN	\$GS
EBVs	+6.1	+6.6	-1.5	+1.8	+45	+85	+120	+71	+28	+1.3	-6.3	\$244	\$182	\$331	\$235
Acc	57%	48%	70%	73%	73%	71%	72%	69%	75%	80%	44%	13	35	10	10
Perc	21	18	89	12	78	73	52	90	3	79	19				
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	Traits Observed: BWT,Genomics			
EBVs	+82	+9.9	+1.9	+1.6	-0.5	+4.7	+0.33	+20	+0.68	+0.96	+1.10	Statistics: Number of Herds: Number of Herds: 1, Prog Analysed: 48, Genomic Prog: 25			
Acc	75%	70%	71%	72%	62%	75%	62%	79%	66%	65%	64%				
Perc	16	16	15	21	89	8	61	54	20	49	73				

Reference Sire

KUNUMA S47^{SV}

HBR

Date of Birth: 16/10/2021

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDF,NHFU

Animal ID: NOL21S47

AYRVALE HERCULES H9^{PV}

AYRVALE BARTEL E7^{PV}

KUNUMA C36^{SV}

BT EQUATOR 395M[#]

LAWSONS INVINCIBLE F338^{SV}

KUNUMA Y89[#]

Sire: DXTP613 TEXAS POWERPLAY P613^{PV}

Dam: NOLG95 KUNUMA G95[#]

TEXAS UNDINE H647^{PV}

BANGADANG WESTERN EXPRESS E10^{SV}

KUNUMA Z166[#]

BOOROOMOOKA THEO T030^{SV}

TEXAS UNDINE Z183^{PV}

KUNUMA V25[#]

Mid July 2025 TransTasman Angus Cattle Evaluation												Selection Indexes			
TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC	\$A	\$D	\$GN	\$GS
EBVs	+10.3	+9.3	-8.1	+0.0	+44	+82	+105	+75	+18	+1.8	-7.0	\$255	\$205	\$342	\$244
Acc	57%	48%	70%	73%	73%	71%	72%	69%	75%	80%	43%	7	12	7	7
Perc	2	3	8	2	83	81	81	87	41	62	10				
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	Traits Observed: BWT,Genomics			
EBVs	+76	+12.4	+2.2	+3.1	+0.1	+4.2	+1.12	+20	+1.24	+1.02	+0.90	Statistics: Number of Herds: Number of Herds: 1, Prog Analysed: 6, Genomic Prog: 6			
Acc	72%	71%	70%	71%	62%	75%	63%	77%	65%	65%	64%				
Perc	30	5	11	8	65	13	99	51	98	64	17				

Reference Sire

MILWILLAH NAPA R405^{SV}

HBR

Date of Birth: 18/08/2020

Mating Type: Natural

Genetic Conditions: AMFU,CAFU,DDFU,NHFU,RGF

Animal ID: NJWR405

MATAURI REALITY 839[#]

SCHURRTOP REALITY X723[#]

TUWHARETOA REGENT D145^{PV}

TE MANIA AMBASSADOR A134^{SV}

MATAURI 06663[#]

LAWSONS HENRY VIII Y5^{SV}

Sire: NJWN498 MILWILLAH NAPA N498^{PV}

Dam: NJWL36 MILWILLAH MITTAGONG L36[#]

MILWILLAH BARUNAH H224[#]

COONAMBLE ELEVATOR E11^{PV}

MILWILLAH MITTAGONG D61^{SV}

ARDROSSAN EQUATOR A241^{PV}

MILWILLAH BARUNAH B55^{PV}

MILWILLAH MITTAGONG Z94[#]

Mid July 2025 TransTasman Angus Cattle Evaluation												Selection Indexes			
TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC	\$A	\$D	\$GN	\$GS
EBVs	+9.7	+4.0	-5.4	+1.7	+42	+88	+115	+119	+15	+1.5	-2.4	\$154	\$122	\$212	\$136
Acc	57%	48%	70%	73%	73%	71%	72%	69%	78%	81%	49%	92	93	89	92
Perc	3	44	36	11	89	67	62	25	70	73	92				
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	Traits Observed: BWT,200WT,600WT(x2),S-can(EMA,Rib,Rump,IMF),Structure(Claw Set x 1, Foot Angle x 1),Genomics Statistics: Number of Herds: Number of Herds: 1, Prog Analysed: 86, Genomic Prog: 53			
EBVs	+60	+3.4	+3.1	+3.9	-0.2	+2.4	+0.29	+8	+0.36	+0.80	+1.18				
Acc	77%	72%	72%	73%	64%	76%	65%	81%	71%	75%	68%				
Perc	75	83	5	5	79	48	57	92	1	15	89				

Reference Sire

TE MANIA QONTEMPLATE Q1149^{PV}

HBR

Date of Birth: 15/08/2019

Mating Type: ET

Genetic Conditions: AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGF

Animal ID: VTMQ1149

AYRVALE HERCULES H9^{PV}

AYRVALE BARTEL E7^{PV}

G A R PROPHET^{SV}

C R A BEXTOR 872 5205 608[#]

LAWSONS INVINCIBLE F338^{SV}

G A R OBJECTIVE 1885[#]

Sire: VTMM886 TE MANIA MOJO M886^{PV}

Dam: VTML332 TE MANIA MITTAGONG L332^{SV}

TE MANIA BARUNAH F121[#]

TE MANIA BERKLEY B1^{PV}

TE MANIA MITTAGONG J835[#]

TE MANIA BERKLEY B1^{PV}

TE MANIA BARUNAH C854[#]

TE MANIA MITTAGONG E1151[#]

Mid July 2025 TransTasman Angus Cattle Evaluation												Selection Indexes			
TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC	\$A	\$D	\$GN	\$GS
EBVs	+3.2	+7.2	-3.2	+4.9	+57	+101	+131	+110	+17	+4.5	-6.3	\$227	\$186	\$300	\$215
Acc	57%	48%	70%	73%	73%	71%	72%	69%	87%	94%	56%	28	30	29	25
Perc	47	13	71	72	27	27	27	38	49	3	19				
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	Traits Observed: BWT,200WT,400WT,SC,S-can(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1),Genomics Statistics: Number of Herds: Number of Herds: 12, Prog Analysed: 230, Genomic Prog: 182			
EBVs	+63	+1.1	+2.0	+0.4	-0.8	+4.2	+0.78	+25	+0.78	+0.80	+0.96				
Acc	84%	84%	84%	84%	78%	84%	70%	95%	91%	91%	88%				
Perc	66	95	13	39	95	13	93	32	38	15	31				

Reference Sire

TE MANIA RHYNIE R1095^{PV}

HBR

Date of Birth: 23/08/2020

Mating Type: AI

Genetic Conditions: AMF,CAF,DDF,NHF,DWF,MAF,MHF,OHF,OSF,RGF

Animal ID: VTMR1095

TE MANIA KIRBY K138^{PV}

G A R PROPHET^{SV}

TE MANIA 15380^{SV}

MATAURI REALITY 839[#]

TE MANIA BEEAC H17^{SV}

TE MANIA 13175[#]

Sire: VTMP1164 TE MANIA PERU P1164^{SV}

Dam: VTMP1513 TE MANIA JAPARA P1513^{SV}

TE MANIA BARUNAH J1187[#]

TE MANIA FITZPATRICK F528^{PV}

TE MANIA JAPARA L434[#]

G A R PROPHET^{SV}

TE MANIA BARUNAH F716[#]

TE MANIA JAPARA J747[#]

Mid July 2025 TransTasman Angus Cattle Evaluation												Selection Indexes			
TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC	\$A	\$D	\$GN	\$GS
EBVs	+3.9	-0.7	+0.5	+3.6	+52	+87	+117	+81	+22	+3.4	-4.8	\$223	\$160	\$326	\$213
Acc	57%	48%	70%	73%	73%	71%	72%	69%	79%	97%	53%	32	65	12	26
Perc	40	84	98	42	50	68	59	81	18	13	49				
TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg	Traits Observed: GL,CE,BWT,200WT,400WT,SC,S-can(EMA,Rib,Rump,IMF),DOC,Structure(Claw Set x 1, Foot Angle x 1),Genomics Statistics: Number of Herds: Number of Herds: 4, Prog Analysed: 1087, Genomic Prog: 994			
EBVs	+48	+7.4	+1.5	+1.3	-1.4	+6.6	+0.62	+14	+0.32	+0.74	+0.94				
Acc	83%	86%	84%	85%	78%	85%	69%	98%	98%	98%	97%				
Perc	94	38	20	25	99	1	86	76	1	8	25				

Reference Sire

Date of Birth: 16/07/2017

KC HAAS GPS#

Sire: DXTK002 TEXAS MOUNT K002^{PV}

TEXAS UNDINE Z183^{PV}

TEXAS NASA N121^{PV}

Mating Type: AI

GARDENS PRIME STAR#
KCH ELINE 549#

BUSHS GRAND DESIGN#
TEXAS UNDINE X221#

Animal ID: DXTN121

R B TOUR OF DUTY 177^{PV}

Dam: DXTL600 TEXAS PRIDE L600^{PV}

TEXAS PRIDE E030^{SV}

WERNER WAR PARTY 2417#
B A LADY 6807 305#

ARDROSSAN ADMIRAL A2^{PV}
TEXAS PRIDE B052#

Mid July 2025 TransTasman Angus Cattle Evaluation											
TACE	Dir	Dtrs	GL	BW	200D	400D	600D	MCW	Milk	SS	DTC
EBVs	+5.3	+3.1	-12.0	+4.9	+59	+114	+162	+147	+12	+2.9	-4.3
Acc	57%	48%	70%	73%	73%	71%	72%	69%	89%	93%	58%
Perc	27	54	1	72	18	7	2	5	84	24	61

TACE	CWT	EMA	Rib	P8	RBY	IMF	NFI-F	Doc	Claw	Angle	Leg
EBVs	+107	+9.6	-1.3	-1.4	+1.0	-0.4	+0.14	+21	+0.86	+0.84	+0.82
Acc	86%	85%	85%	85%	80%	85%	70%	92%	88%	89%	85%
Perc	1	18	78	69	16	98	40	50	55	21	6

Selection Indexes			
\$A	\$D	\$GN	\$GS
\$205	\$169	\$251	\$199
53	52	69	41

Traits Observed: GL,BWT,200WT,400WT,600WT,SC,S-can(EMA,Rib,Rump,IMF),DOC,Genomics

Statistics: Number of Herds: Number of Herds: 11,
Prog Analysed: 117, Genomic Prog: 58

Future Sire - Milwillah U114



We are really excited to own this future stud sire. Milwillah U114 is a Millah Murrah Rembrandt son, out of one of Milwillah’s best cows. We think he is going to have a massive influence on our herd in the next few years. Watch this space!



Joining sire

Te Mania R1095PV is the \$120,000 sire we purchased in 2022 with Rennylea and Landfall Angus. We have been really impressed with his first wave of calves. They have a heap of depth, length and real sire appeal with data to burn. R1095 really is the complete package.

[illegible]

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting or typing. There are no margins, text, or other markings on the page.

“BRED TOUGH!”

GOING FURTHER FOR STUD STOCK

Nutrien Ag Solutions Cooma has the specialised knowledge and resources to take your farming business further.

Visit us in-store today or discover more online at NutrienAgSolutions.com.au

LIVESTOCK ACCOUNT MANAGER - COOMA

Damien Roach 0427 253 250

Gary Evans 0400 356 484

STUD STOCK NSW

Matt Champion 0437 290 435


John Setttee 0408 297 368

STUD STOCK ADMINISTRATION & MARKETING MANAGER

Jorgia Scott 0447 157 017



**BRED TOUGH AT THE
TOP OF AUSTRALIA**



KUNUMA
ANGUS STUD
SNOWY MOUNTAINS

Mitch Lynch: 0487 648 227

Dean Lynch: 0419 295 954

www.kunuma.com